

Effected From 10th July 2018

Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT	Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT	Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT
Deluxe Fixed Glazing Sections						Economy Fixed Glazing Sections						Box Sliding Window Sections					
D 10	Normal	173	186	205	230	E 10	Normal	140	149	164	185	DC 30 B	Normal	208	214	236	265
D 10	1.6 MM	267	273	301	338	E 11	Normal	62	70	77	87	DC 30 BA	1.6 MM	277	286	315	354
D 10	2.0 MM	279	284	313	352	E 14	Normal	94	99	109	123	DC 30 BA	2.0 MM	330	345	380	427
D 10 A	1.6 MM	291	304	333	374	E 15	Normal	59	67	74	83	DC 30 BA	Normal	226	231	255	286
D 10 A	2.0 MM	308	312	344	386	E 16	Normal	154	163	180	202	DC 30 C	1.6 MM	277	286	315	354
D 11	Normal	83	90	99	111	E 18	Normal	196	203	224	251	DC 30 C	2.0 MM	336	345	380	427
D 14	Normal	117	120	132	149	Deluxe Sliding Window Sections						DC 30 C	Normal	226	231	255	286
D 15	Normal	85	89	98	110	D 22	Normal	96	103	112	126	DC 30 E	Normal	242	248	273	307
D 15 A	Normal	67	71	78	87	D 23	Normal	135	146	161	180	DC 30 F	1.6 MM	308	316	348	391
D 15 B	Normal	73	78	86	97	D 24	Normal	145	150	165	186	DC 30 F	2.0 MM	360	369	407	454
D 16	Normal	205	214	236	265	D 25	Normal	104	109	120	135	DC 30 F	Normal	250	258	284	320
D 16	1.6 MM	239	249	275	308	D 26	Normal	153	155	171	192	DC 30 J	1.6 MM	279	287	317	356
D 16	2.0 MM	293	300	331	372	D 26 A	Normal	158	162	179	201	DC 30 L	1.6 MM	324	327	360	405
D 16 A	1.6 MM	250	259	287	322	D 27	Normal	167	175	193	217	DC 30 L	2.0 MM	365	447	492	556
D 18	Normal	222	231	255	286	D 28	Normal	135	146	161	180	M 23	Normal	121	129	142	160
D 18	1.6 MM	272	278	306	344	D 28 A	Normal	150	159	175	197	M 23	1.6 MM	158	167	184	207
D 18	2.0 MM	352	357	394	442	D 30	Normal	153	155	171	192	M 23	2.0 MM	198	206	227	255
D 20	2.0 MM	245	247	272	306	Box Sliding Window Sections						M 23 A	1.6 MM	178	186	205	230
Deluxe Swing Doors Sections						AA 23	1.6 MM	237	247	272	306	M 23 A	2.0 MM	215	222	245	275
D 32	Normal	39	43	47	53	AA 23	2.0 MM	287	299	330	370	M 23 A	Normal	132	141	155	175
D 32 A	Normal	64	73	80	90	AA 28	1.6 MM	263	271	299	336	M 23 B	2.0 MM	180	191	211	237
D 32 B	Normal	73	81	89	100	AA 28	2.0 MM	317	328	344	386	M 23 F	1.6 MM	180	191	211	237
D 32 C	Normal	76	84	93	104	B 6	Normal	54	61	67	76	M 24	1.6 MM	174	182	201	225
D 32 D	Normal	52	54	58	66	D 31	1.6 MM	124	132	145	163	M 24	2.0 MM	210	218	240	270
D 32 E	Normal	38	42	47	53	D 31	Normal	90	92	101	114	M 24	Normal	139	145	160	180
D 32 F	Normal	35	39	39	44	DC 26	Normal	270	274	302	339	M 24 A	1.6 MM	163	172	190	213
D 32 G	Normal	32	35	37	42	DC 26 A	1.6 MM	338	352	388	435	M 24 A	2.0 MM	200	208	229	258
D 33	Normal	217	225	248	279	DC 26 A	2.0 MM	414	419	462	519	M 24 A	Normal	136	141	155	175
D 33	1.6 MM	271	276	304	342	DC 26 A	Normal	287	297	327	368	M 24 B	2.0 MM	191	199	219	246
D 33	2.0 MM	327	332	366	411	DC 26 AK	1.6 MM	338	352	388	435	M 24 C	2.0 MM	186	194	214	240
D 34	Normal	73	75	83	93	DC 26 AK	2.0 MM	414	419	462	519	M 26	1.6 MM	242	269	295	332
D 34 A	Normal	72	74	82	92	DC 26 AK	Normal	287	297	327	368	M 26	2.0 MM	285	294	324	364
D 35	Normal	171	179	197	222	DC 26 B	1.6 MM	313	319	352	395	M 26	Normal	199	203	224	251
D 35	1.6 MM	213	218	240	270	DC 26 B	2.0 MM	356	363	400	450	M 26 F	Normal	223	234	258	290
D 35	2.0 MM	263	267	294	331	DC 26 B	Normal	245	252	278	312	M 26 F	1.6 MM	321	328	362	406
D 37	Normal	163	170	187	211	DC 26 BA	1.6 MM	327	337	372	417	M 28	1.6 MM	193	199	219	246
Tilt & Turn Windows Sections						DC 26 BA	2.0 MM	373	384	423	476	M 28	2.0 MM	234	241	266	299
TT 41 A	1.6 MM	82	97	106	119	DC 26 BA	Normal	271	277	305	343	M 28	Normal	144	149	164	185
TT 42 A	Normal	85	101	109	122	DC 26 C	1.6 MM	327	337	372	417	M 28 A	1.6 MM	203	210	232	260
TT 45 A	2.0 MM	312	381	420	471	DC 26 C	2.0 MM	373	384	423	476	M 28 A	2.0 MM	245	251	277	311
Netting Sections						DC 26 C	Normal	271	277	305	343	M 28 A	Normal	151	157	173	194
D 29	Normal	95	97	107	120	DC 26 E	Normal	281	286	315	354	M 28 B	2.0 MM	224	232	256	287
D 29 A	Normal	104	107	118	133	DC 26 F	1.6 MM	359	365	402	452	M 30	1.6 MM	225	237	260	292
D 29 B	Normal	64	68	75	84	DC 26 F	2.0 MM	418	433	477	536	M 30	2.0 MM	266	274	302	339
D 29 E	Normal	104	110	121	136	DC 26 F	Normal	287	297	327	368	M 30	Normal	179	183	202	227
D 29 E	2.0 MM	151	158	166	187	DC 26 J	1.6 MM	321	332	366	411	M 30 F	Normal	200	209	230	259
D 29 H	Normal	95	98	106	119	DC 26 L	1.6 MM	357	363	401	450	M 30 F	1.6 MM	281	296	327	368
DG 29	Normal	131	138	152	171	DC 26 L	2.0 MM	422	437	481	540	Fix & Openable Door Frame Sections					
DG 29	2.0 MM	234	246	271	305	DC 30	Normal	234	237	261	293	D 45 C	Normal	254	267	294	331
Economy Sliding Window Sections						DC 30 A	1.6 MM	294	306	339	381	D 51 C	Normal	267	271	299	336
EF 22	Normal	71	78	86	97	DC 30 A	2.0 MM	368	375	413	464	D 51 C	1.6 MM	356	371	402	452
EF 24	Normal	135	143	158	177	DC 30 A	Normal	250	258	284	320	D 51 C	2.0 MM	412	417	460	517
EF 25	Normal	87	93	103	115	DC 30 AK	1.6 MM	294	306	339	381	D 54 C	Normal	227	232	256	287
EF 26	Normal	116	123	136	152	DC 30 AK	2.0 MM	368	375	413	464	Door Handle Section					
EF 27	Normal	113	121	133	150	DC 30 AK	Normal	250	258	284	320	H 7	Normal	65	74	82	92
EF 28	Normal	78	83	92	103	DC 30 B	1.6 MM	262	273	301	338	D 38	2.0 MM	287	290	320	359
EF 30	Normal	95	103	114	128	DC 30 B	2.0 MM	306	317	349	393	D 38 B	2.0 MM	198	203	224	251
Louvers Sections						Strips & Scarting Panel Sections						D 38 E	2.0 MM	307	321	335	376
Louver 39	1.6 MM	84	86	95	107	D 61	Normal	168	175	193	217	D 38 F	Normal	228	233	255	286
Louver 39	2.0 MM	110	115	125	140	Strip 50 X 6	6.0 MM	143	152	168	188	Heat Sink Sections					
Louver 39	Normal	73	82	90	102	Strip FS-160	Normal	112	119	131	147	Heat Sink 61.8x32	Normal	643	688	756	850
Louver 39 4"	2.0 MM	172	178	196	220	Strip-1 4.5"	Normal	107	108	119	134	Heat Sink 125.3x49.7	Normal	1615	1730	1903	2137
Louver 39 4.5"	2.0 MM	202	209	230	259	Strip-150 6.0"	2.0 MM	180	192	211	237	Rin Bow - ST	Normal	288	308	339	381
P-14713	1.6 MM	263	281	310	348	Strip-3 3 X ¾	3.5 MM	230	239	262	294	Loom Sections					
P-14713 A	Normal	140	149	164	185	Strip-3 6.0"	Normal	143	152	168	188	Loom A	Normal	134	143	158	178
P-14713 B	1.4 MM	212	220	241	271							Loom B	Normal	88	95	104	117
P-14713 C	Normal	317	340	377	424							Loom C	Normal	167	178	196	220
G 7	Normal	89	98	108	121							Loom D	Normal	194	207	226	254
												Loom E	Normal	208	222	223	250
												Loom G	Normal	301	312	344	386

K.T. 5	Normal	120	130	143	161	DG 58	1.6 MM	283	292	312	350	Angle 38 X 38 1x½ 1x½	3.0 MM	136	137	150	168
K.T. 6	Normal	109	114	125	140							Angle 40 X 40	5.0 MM	258	270	297	334
												Angle 76 X 56	Standard	488	542	596	673



Effected From 10th July 2018

R-3

Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT	Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT	Section Name	Thickness (MM)	Dull Silver	Chm Br / Ral	Multi BL / SRA	WD CT
Curtain Wall Sections						P.N. Curtain Wall Sections						VIP Series					
CW 001 A LN	2.0 MM	431	441	487	547	PN-CW 1	2.5 MM	803	974	1,071	1205	W 24	1.6 MM	215	221	242	273
CW 1	2.0 MM	457	501	553	621	PN-CW 2	2.0 MM	389	448	491	551	W 26	1.6 MM	270	276	304	341
CW 1 OL	2.5 MM	609	678	745	837	PN-CW 2 F	2.0 MM	62	70	78	87	W 28	1.6 MM	205	211	233	261
CW 1 001 LN	2.0 MM	512	523	546	614	PN-CW 3	2.5 MM	124	131	143	161						
CW 1 A	2.0 MM	327	373	411	462	PN-CW 4	1.6 MM	93	108	119	134						
CW 1 A	Normal	257	286	315	354	PN-CW 5	2.0 MM	570	610	671	753						
CW 1 A LN	2.0 MM	327	373	411	462	Prime Curtain Wall Sections											
CW 1 B	2.5 MM	759	773	853	963	ZG-2 F	Standard	64	70	80	90						
CW 1 B	6.0 MM	1456	1707	1778	1997	ZG-CW 1	2.5 MM	536	616	679	753						
CW 1 B 70 M	2.5 MM	810	822	951	1068	ZG-CW 2	2.5 MM	469	538	601	675						
CW 1 B S	2.0 MM	527	606	667	750	ZG-CW 3	2.5 MM	421	469	524	590						
CW 1 C	2.0 MM	326	367	411	462	ZG-CW 92	2.5 MM	427	491	549	615						
CW 1 S	2.0 MM	385	423	465	509	ZG-OP 1	2.5 MM	191	219	245	275						
CW 1 S-CL	3.0 MM	284	325	354	398	ZG-OP 2	2.5 MM	341	392	439	493						
CW 10	1.6 MM	191	208	230	259	Miscellaneous Sections											
CW 10744	2.0 MM	180	200	219	246	AE-01	2.0 MM	506	525	566	625						
CW 13212	2.0 MM	306	340	373	418	AE-SG-01	1.6 MM	283	293	316	355						
CW 2	2.0 MM	160	175	193	217	AE-SG-02	1.6 MM	53	56	61	68						
CW 2 70 M	2.0 MM	172	184	202	227	AM 1	2.6 MM	980	1052	1137	1277						
CW 2 A (MF)	2.0 MM	140				AM 2	1.8 MM	88	93	101	139						
CW 2 E	2.0 MM	39	45	48	54	CG-U1	1.6 MM	79	85	91	102						
CW 2 F	2.0 MM	66	77	85	96	CG-U2	1.6 MM	43	47	52	59						
CW 2 G	Normal	451	475	522	586	SASA 001	Normal	137	144	159	179						
CW 2 G ND	Normal	451	475	522	586	SASA 002	Normal	172	185	203	228						
CW 2 H	Normal	292	316	348	391	SASA 003	Normal	161	171	188	211						
CW 3	Normal	93	108	119	134	SASA 004	Normal	132	142	157	176						
CW 3 30 X 70 M	Normal	114	127	140	157	SASA 005	Normal	12	13	13	18						
CW 3 70 M	Normal	112	125	136	152	SASA 006	Normal	15	17	18	23						
CW 3 A	Normal	72	87	96	108	SASA 007	1.6 MM	227	245	269	302						
CW 3 A ND	Normal	139	158	175	197	SASA 007	Normal	164	175	193	217						
CW 3 A-B	Normal	116	132	145	163	SASA 008	Normal	182	195	213	239						
CW 9	1.6 MM	81	94	102	115	SASA 009	Normal	169	181	199	223						
CW RN 1	3.0 MM	1085	1097	1209	1359	SASA 010	2.0 MM	430	455	495	556						
CW RN 3	3.0 MM	832	844	930	1045	SASA 011	1.6 MM	282	298	326	366						
CW VR-13510	2.0 MM	514	587	646	726	SASA 012	Normal	80	85	87	98						
P-14275	Normal	238	254	279	314	SASA 013	1.4 MM	154	172	193	217						
						SASA 014	1.6 MM	462	479	526	592						
						SASA 015	1.6 MM	383	396	435	489						
						U 13	Normal	32	34	37	42						
						U 15	2.0 MM	109	122	134	150						