



Effected From 23rd November 2020

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Deluxe Fixed Glazing Sections							Deluxe Sliding Window Sections							Box Sliding Window Sections						
D 10	Normal	205	209	224	234	261	D 22	Normal	127	135	144	151	168	DC 30 E	Normal	277	296	317	333	373
D 10	1.6 MM	266	271	290	303	339	D 23	Normal	171	181	194	203	226	DC 30 F	Normal	300	305	327	342	382
D 10	2.0 MM	335	341	365	382	427	D 24	Normal	170	180	192	201	225	DC 30 F	1.6 MM	386	393	421	441	492
D 10 A	1.6 MM	311	325	348	365	411	D 25	Normal	125	132	141	148	165	DC 30 F	2.0 MM	486	495	530	555	619
D 10 A	2.0 MM	354	379	405	426	477	D 26	Normal	171	181	194	203	226	DC 30 H	1.6 MM	386	393	421	441	492
D 11	Normal	87	93	100	105	117	D 26 A	Normal	188	199	213	223	249	DC 30 J	Normal	287	292	313	327	365
D 14	Normal	136	138	148	155	173	D 27	Normal	188	199	213	223	249	DC 30 J	1.6 MM	371	377	404	423	472
D 15	Normal	90	92	98	103	115	D 28	Normal	139	148	158	165	184	DC 30 L	1.6 MM	347	350	375	394	446
D 15 A	Normal	72	76	81	85	96	D 28 A	Normal	184	195	209	218	244	DC 30 L	2.0 MM	391	478	511	537	612
D 15 B	Normal	78	83	89	93	107	D 30	Normal	164	173	185	194	217	M 23	Normal	139	142	152	159	177
D 16	Normal	216	220	235	246	275	Box Sliding Window Sections							M 23	1.6 MM	180	183	196	205	229
D 16	1.6 MM	279	284	304	318	355	AA 23	1.6 MM	269	274	293	306	342	M 23	2.0 MM	226	231	247	258	288
D 16	2.0 MM	351	358	383	400	447	AA 23	2.0 MM	338	344	368	385	430	M 23 A	Normal	201	205	219	229	256
D 16 A	1.6 MM	222	238	254	267	299	AA 28	1.6 MM	315	321	343	359	401	M 23 A	1.6 MM	259	264	283	296	330
D 18	Normal	246	250	268	280	313	AA 28	2.0 MM	396	403	431	451	504	M 23 A	2.0 MM	326	332	356	372	416
D 18	1.6 MM	317	323	346	362	404	B 6	Normal	48	49	52	54	61	M 23 B	2.0 MM	290	295	316	330	369
D 18	2.0 MM	399	407	435	455	508	D 31	Normal	76	77	82	86	96	M 23 F	1.6 MM	193	204	218	229	261
D 20	2.0 MM	245	262	281	295	330	D 31	1.6 MM	97	99	105	110	123	M 24	Normal	167	170	181	190	212
Deluxe Swing Doors Sections							DC 26	Normal	297	314	336	352	393	M 24	1.6 MM	214	218	234	245	273
D 32	Normal	42	43	46	48	54	DC 26 A	Normal	311	317	339	355	396	M 24	2.0 MM	270	275	295	308	344
D 32 A	Normal	75	76	81	85	95	DC 26 A	1.6 MM	401	409	438	458	512	M 24 A	Normal	145	148	158	165	184
D 32 B	Normal	78	83	89	94	105	DC 26 A	2.0 MM	505	515	551	577	644	M 24 A	1.6 MM	187	191	204	214	238
D 32 C	Normal	89	95	102	107	120	DC 26 AK	Normal	311	317	339	355	396	M 24 A	2.0 MM	235	240	257	269	300
D 32 D	Normal	56	58	62	65	73	DC 26 AK	1.6 MM	401	409	438	458	512	M 24 B	2.0 MM	293	298	319	334	372
D 32 E	Normal	41	45	48	50	58	DC 26 AK	2.0 MM	505	515	551	577	644	M 24 C	2.0 MM	205	219	235	246	276
D 32 F	Normal	37	42	45	47	48	DC 26 B	Normal	288	293	314	329	367	M 26	Normal	231	236	252	264	294
D 32 G	Normal	34	37	40	42	46	DC 26 B	1.6 MM	372	379	406	425	474	M 26	1.6 MM	299	304	326	341	380
D 33	Normal	226	230	246	258	288	DC 26 B	2.0 MM	468	476	510	534	595	M 26	2.0 MM	376	383	410	429	479
D 33	1.6 MM	292	297	318	333	372	DC 26 BA	Normal	301	306	328	343	383	M 26 F	Normal	270	275	294	308	344
D 33	2.0 MM	368	374	401	419	468	DC 26 BA	1.6 MM	388	395	423	443	494	M 26 F	1.6 MM	349	355	380	398	444
D 34	Normal	86	92	98	103	116	DC 26 BA	2.0 MM	488	497	532	557	621	M 28	Normal	171	174	186	195	218
D 34 A	Normal	77	79	85	89	101	DC 26 C	Normal	301	306	328	343	383	M 28	1.6 MM	221	225	241	252	281
D 35	Normal	196	200	214	224	250	DC 26 C	1.6 MM	388	395	423	443	494	M 28	2.0 MM	278	283	303	317	354
D 35	1.6 MM	254	258	277	289	323	DC 26 C	2.0 MM	488	497	532	557	621	M 28 A	Normal	227	231	247	259	289
D 35	2.0 MM	319	325	348	364	407	DC 26 E	Normal	309	315	337	352	393	M 28 A	1.6 MM	293	298	319	334	373
D 37	Normal	186	199	213	224	250	DC 26 F	1.6 MM	452	460	492	515	575	M 28 A	2.0 MM	369	375	402	420	469
Netting Sections							DC 26 F	2.0 MM	568	578	619	648	723	M 28 B	2.0 MM	313	319	341	357	398
D 29	Normal	99	101	108	113	126	DC 26 F	Normal	349	356	381	398	445	M 30	Normal	207	211	226	236	264
D 29 A	Normal	131	134	143	150	167	DC 26 H	1.6 MM	452	460	492	515	575	M 30	1.6 MM	267	272	291	305	340
D 29 B	Normal	68	69	74	77	86	DC 26 J	Normal	310	316	338	354	395	M 30	2.0 MM	336	343	367	384	428
D 29 C	Normal	52	58	62	65	72	DC 26 J	1.6 MM	400	408	436	457	510	M 30 F	Normal	243	248	265	277	309
D 29 E	2.0 MM	160	171	183	195	215	DC 26 L	1.6 MM	382	388	415	436	495	M 30 F	1.6 MM	314	320	342	358	400
D 29 H	Normal	102	105	112	118	131	DC 26 L	2.0 MM	452	468	501	526	594	Fix & Openable Door Frame Sections						
DG 29	Normal	135	138	147	154	172	DC 30	Normal	261	276	295	309	345	D 45 C	Normal	288	294	314	329	367
DG 29	1.6 MM	195	205	219	230	262	DC 30 A	Normal	288	293	314	329	367	D 51 C	Normal	299	304	326	341	380
DG 29	2.0 MM	250	263	281	295	336	DC 30 A	1.6 MM	372	379	405	424	474	D 51 C	1.6 MM	386	393	421	441	492
DG 29 3-T	1.6 MM	238	260	278	292	316	DC 30 A	2.0 MM	468	477	510	534	596	D 51 C	2.0 MM	466	495	530	555	619
Economy Sliding Window Sections							DC 30 AK	Normal	288	293	314	329	367	D 54 C	Normal	246	263	282	296	331
EF 22	Normal	106	112	120	125	140	DC 30 AK	1.6 MM	372	379	405	424	474	Door Handle Section						
EF 24	Normal	154	163	174	183	204	DC 30 AK	2.0 MM	468	477	510	534	596	H - 7	Normal	70	79	85	89	73
EF 25	Normal	112	119	127	133	148	DC 30 B	Normal	227	231	247	259	289	D 38	2.0 MM	308	330	353	370	415
EF 26	Normal	164	174	186	195	217	DC 30 B	1.6 MM	302	307	329	344	384	D 38 B	2.0 MM	258	263	281	294	328
EF 27	Normal	153	162	173	181	202	DC 30 B	2.0 MM	377	383	410	429	479	D 38 E	2.0 MM	328	343	367	385	414
EF 28	Normal	95	100	107	112	125	DC 30 BA	Normal	260	265	283	297	331	D 38 F	Normal	218	223	238	249	278
EF 30	Normal	96	102	109	114	127	DC 30 BA	1.6 MM	337	343	367	384	428	AL Series						
Louvers Sections							DC 30 BA	2.0 MM	423	431	461	482	538	AL 32	Normal	34	36	39	41	46
Louver 39	Normal	85	90	96	101	112	DC 30 C	Normal	260	265	283	297	331	AL 33	1.6 MM	325	332	356	372	416
Louver 39	1.6 MM	90	92	98	103	118	DC 30 C	1.6 MM	337	343	367	384	428	AL 33	2.0 MM	408	418	448	468	532
Louver 39	2.0 MM	118	123	132	139	154	DC 30 C	2.0 MM	423	431	461	482	538	AL 35	1.6 MM	219	223	238	250	279
Louver 39 4"	2.0 MM	184	190	203	213	242	Strips & Scarting Panel Sections							AL 35	2.0 MM	275	280	299	313	350
Louver 39 4.5"	2.0 MM	216	224	240	252	285	D 61	Normal	204	208	223	233	260	AL 35 A	1.6 MM	263	281	301	316	354
Louver - HT	1.6 MM	118	131	140	147	176	Strip-1 4.5"	Normal	131	133	142	149	166	AL 58	2.0 MM	210	221	236	248	282
P-14713	1.6 MM	281	301	322	338	383	Strip 2"	2.0 MM	66	73	78	82	90	AL D 10	1.6 MM	247	250	268	281	304
P-14713 A	Normal	150	159	170	179	197	Strip-3 6.0"	Normal	164	167	179	187	209	AL D 10 A	1.6 MM	290	297	318	334	362
P-14713 C	Normal	339	364	389	408	449	Strip-3 3 X 3/4	3.5 MM	246	256	274	288	323	AL D 10 A	2.0 MM	244	248	265	278	310
G -7	Normal	95	105	112	118	198	Strip FS-160 - ST	Normal	120	127	136	143	162	AL D 20	1.6 MM	195	200	214	225	255
Kitchen Sections							Strip-150 6.0"	2.0 MM	193	205	219	230	261	Economy Fixed Glazing Sections						
K.T.1	Normal	111	113	121	127	142	D 57	2.0 MM	297	303	324	339	378	E 10	Normal	162	165	177	185	206
K.T.2	Normal	123	125	134	140	157	D 58	2.0 MM	210	213	228	239	267	E 11	Normal	68	73	78	82	92
K.T.3	Normal	137	140	149	156															



Effected From 23rd November 2020

Section Name	Thickness (MM)	Dull Silver	Chm. Gal	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm. Gal	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm. Gal	Brown Sahara	Multi Black	Wood Coating
Fix & Openable Door Window Sections							Box & Openable Door Window Sections							Double Glaze Sections						
D 40	Normal	171	174	186	195	218	D 42	Normal	120	122	130	137	152	DG 23	1.6 MM	267	272	291	305	340
D 40 A	Normal	171	174	186	195	218	D 42 F	Normal	162	165	177	185	206	DG 23	2.0 MM	336	343	367	384	428
D 40 A	2.0 MM	278	283	303	317	354														
D 41	Normal	63	64	68	72	80	D 45	Normal	194	197	211	221	246	DG 23 A	1.6 MM	267	272	291	305	340
D 41 A	Normal	59	60	64	67	74	D 45	2.0 MM	315	321	343	359	401	DG 23 A	2.0 MM	336	343	367	384	428
D 41 B	Normal	57	61	65	69	77	D 45 A	Normal	171	174	186	195	218	DG 23 B	2.0 MM	429	446	477	501	568
D 43	Normal	133	137	147	154	175	D 45 A	1.6 MM	221	225	241	252	281	DG 23 D	1.6 MM	239	242	259	272	308
D 44	Normal	169	181	193	203	228	D 45 A	2.0 MM	278	283	303	317	354	DG 23 H	1.5 MM	255	258	276	290	325
D 44 A	Normal	193	197	211	221	246	D 45 B	1.6 MM	228	232	248	260	290	DG 23 P	1.5 MM	229	245	262	275	311
D 46	Normal	342	348	373	390	435	D 51	Normal	221	225	241	252	281	DG 23 P	2.0 MM	294	316	338	355	400
D 46	2.0 MM	556	566	606	634	708	D 51	1.6 MM	285	290	310	325	363	DG 25	1.6 MM	73	79	85	89	101
D 48	2.0 MM	532	539	593	652	717	D 51	2.0 MM	358	365	391	409	456	DG 25 F	1.6 MM	90	102	109	114	129
D 48 A	Normal	230	234	250	262	292	D 51 A	Normal	180	183	196	205	229	DG 26	1.6 MM	429	438	468	488	547
D 48 A	1.4 MM	267	272	291	305	340	D 51 A	1.6 MM	233	237	254	265	296	DG 26	2.0 MM	537	548	586	611	685
D 48 A	2.0 MM	372	379	405	424	474	D 51 A	2.0 MM	293	298	319	334	373	DG 26 A	2.0 MM	592	603	645	676	754
D 48 HD	2.0 MM	654	667	713	747	833	D 51 B	1.6 MM	233	241	258	271	307	DG 26 F	1.6 MM	458	466	499	522	583
D 49	Normal	72	77	82	87	97	D 51 F	Normal	211	215	230	240	268	DG 26 P	1.5 MM	418	430	460	483	536
D 49 B	Normal	109	117	125	131	150	D 51 F	2.0 MM	342	349	373	390	436	DG 26 P	2.0 MM	531	552	591	621	703
D 50	Normal	220	224	239	251	280	D 51 F	1.6 MM	272	277	296	310	346	DG 28	1.6 MM	109	117	125	131	147
D 50	1.6 MM	284	289	310	324	362	D 52	Normal	157	160	171	179	199	DG 30	Normal	112	119	127	133	151
D 50	2.0 MM	357	364	389	407	455	Prime Series							DG 30 A	Normal	91	96	103	108	122
D 50 A	Normal	179	182	195	204	228	P-08009	1.6 MM	326	347	371	390	422	DG 31	1.5 MM	142	152	163	171	191
D 50 A	1.6 MM	232	236	253	265	295	P-08104	Normal	155	166	178	187	207	DG 32	1.6 MM	92	100	107	112	128
D 50 A	2.0 MM	291	297	317	332	371	P-08104	1.6 MM	201	214	229	240	262	DG 41	Normal	72	77	82	87	97
D 50 B	Normal	258	263	281	295	329	P-08105	Normal	181	194	208	218	239	DG 41 E	Normal	111	122	131	138	154
D 50 B	1.6 MM	333	339	363	380	424	P-08105	1.6 MM	229	241	258	271	296	DG 45	1.6 MM	321	324	347	364	410
D 50 B	2.0 MM	427	435	466	487	544	P-08221	1.6 MM	358	380	407	427	462	DG 50	1.6 MM	325	348	372	391	438
D 54	Normal	170	181	194	204	230	P-09718	2.5 MM	153	157	168	176	207	DG 51 A	1.4 MM	273	278	297	311	347
D 54	2.0 MM	260	273	292	307	348	P-10015	1.6 MM	250	269	288	302	341	DG 51 A	2.0 MM	340	364	389	409	458
D 54 A	Normal	158	160	172	180	201	P-10023	STD	62	76	81	85	100	DG 51 D	1.6 MM	488	522	559	589	657
D 54 A	1.6 MM	196	200	214	224	250	P-10178	1.6 MM	96	98	105	110	129	DG 51 D	2.0 MM	555	594	635	667	747
D 54 A	2.0 MM	248	253	271	283	316	P-10371	Normal	75	78	83	87	86	DG 51 E	2.0 MM	382	409	437	459	514
D 54 F	Normal	194	197	211	221	246	P-10377	Normal	76	80	86	90	88	Pipes						
D 54 F	1.6 MM	250	255	272	285	318	P-10485	1.6 MM	225	241	258	271	307	D 60	Normal	143	146	156	163	182
D 54 F	2.0 MM	314	320	343	359	400	P-10486	Normal	70	72	77	81	70	D 60 A	Normal	155	158	169	177	199
D 54 H	1.6 MM	250	255	272	285	318	P-10486 A	Normal	70	72	77	81	72	M- PIPE-1 100 X 150	2.5 MM	981	1,019	1,090	1145	1290
D 59	Normal	213	217	232	243	272	P-10492	Normal	122	134	143	150	149	M- PIPE-2 100 X 150	2.5 MM	967	1,003	1,073	1127	1271
D 59	1.6 MM	275	280	299	313	350	P-10765	Normal	92	98	105	110	108	Rect. Pipe 100 X 20 MM	1.6 MM	291	312	334	351	396
D 59	2.0 MM	346	352	377	394	440	P-11218	2.0 MM	231	239	256	269	311	Rect. PIPE 100 X 25	2.0 MM	353	366	392	412	465
D 59 A	Normal	218	222	237	248	277	P-11219	1.6 MM	73	76	81	85	99	Rect. Pipe 100 X 44 MM	1.6 MM	397	410	439	461	521
D 59 A	1.6 MM	282	287	307	321	359	P-11321	Normal	58	61	65	68	68	Rect. Pipe 100 X 50 MM	2.0 MM	404	449	480	504	557
D 59 A	2.0 MM	354	360	385	403	450	P-12745	Normal	116	123	132	139	125	Rect. Pipe 110 X 50 MM	2.0 MM	432	480	514	540	611
D 59 B	Normal	219	228	244	256	267	P-12983	1.6 MM	239	256	274	288	323	Rect. PIPE 2" X 1" W-5	1.6 MM	199	212	227	238	270
Curtain Wall Sections							P-12986	1.6 MM	302	324	347	364	411	Rect. PIPE 2" X 5"	2.5 MM	592	608	651	684	798
CW 001 A LN	2.0 MM	461	472	505	530	602	P-12986 A	1.6 MM	347	370	396	416	471	Rect. PIPE 20 X 50	3.0 MM	301	322	345	362	407
CW 1	2.0 MM	515	551	590	619	693	P-12986 A	2.0 MM	432	462	494	519	589	Rect. PIPE 3" X 1"	Normal	180	183	196	205	229
CW 1 OL	2.5 MM	652	725	776	815	921	P-13011	1.6 MM	262	280	300	315	355	Rect. PIPE 3" X 1"	3.0 MM	413	428	458	481	545
CW 1 001 LN	2.0 MM	548	560	599	629	675	P-13012	1.6 MM	275	294	315	331	375	Rect. Pipe 3" X 1.5"	Normal	207	211	226	236	264
CW 1 A	2.0 MM	423	453	484	509	570	P-13013	1.6 MM	353	380	407	427	484	Rect. Pipe 4" X 1X 3/4"	1.6 MM	331	337	361	378	422
CW 1 A LN	2.0 MM	350	399	427	448	508	P-13142	1.6 MM	197	210	225	236	267	Rect. Pipe 4" X 1X 3/4"	2.0 MM	417	425	454	475	531
CW 1 B	2.5 MM	900	963	1,030	1,082	1,212	P-13142	2.0 MM	235	251	269	282	319	Rect. Pipe 6" X 2.5"	1.6 MM	601	611	654	687	741
CW 1 B 70 M	2.5 MM	929	946	1,012	1,060	1,183	P-13237	1.6 MM	316	338	362	380	429	Rect. Pipe Pipe 2" X 1"	Normal	140	142	152	159	178
CW 1 B C	2.5 MM	867	928	992	1,041	1,166	P-13406	1.6 MM	503	529	566	594	683	Rect. Pipe Pipe 2" X 1"	1.6 MM	180	184	196	206	229
CW 1 B S	2.0 MM	564	648	693	728	825	P-13640	2.0 MM	302	310	332	349	406	Sq. Pipe 1" X 1"	Normal	90	92	98	103	115
CW 1 B SN	2.5 MM	838	897	959	1,007	1,128	P-13661	2.5 MM	669	688	736	773	902	Sq. Pipe 2" X 2"	Normal	177	189	203	213	238
CW 1 C	2.0 MM	371	394	421	442	495	P-13906	1.6 MM	281	301	322	338	383	Sq. Pipe 2" X 2"	2.5 MM	360	373	399	419	465
CW 1 S	2.0 MM	412	453	485	509	560	P-13906	2.0 MM	335	360	385	404	453	Sq. Pipe 32 X 32 MM	Normal	106	108	115	121	135
CW 1 S-CL	3.0 MM	304	348	372	391	438	P-13906 A	2.0 MM	360	385	412	433	486	Sq. Pipe 38 X 38 1x1/2 1x1/2	Normal	139	149	159	167	187
CW 10	1.6 MM	204	223	239	251	285	P-13906 D	2.0 MM	636	682	730	767	866	Round Pipe 1"	1.0 MM	52	58	62	65	72
CW 10744	2.0 MM	193	214	229	240	271	P-14275	Normal	255	272	291	306	292	Round Pipe D-16 MM	1.5 MM	57	58	62	65	70
CW 13212	2.0 MM	327	364	389	408	460	P-14508	1.6 MM	554	593	635	667	755	Round Pipe D-30 MM	2.0 MM	125	138	148	155	172
CW 2	2.0 MM	171	187	200	210	239	P-14509	1.6 MM	437	465	498	523	593	Round Pipe D-36 MM	2.0 MM	146	161	172	181	198
CW 2 70 M	2.0 MM	184	197	211	222	250	P-14689	1.6 MM	319	341	365	383	435	Round Pipe D-40 MM	2.0 MM	170	188	201	211	233
CW 2 A	2.0 MM	155	166	178	187	218	P-14689	2.0 MM	381	409	438	460	518	Round Pipe D-41 MM	1.5 MM	133	140	150	158	177
CW 2 E	2.0 MM	42	48	51	54	59	P-14689 A	1.6 MM	335	360	385	404	453	Round Pipe D-50 MM	1.8 MM	187	200	214	225	255
CW 2 F	2.0 MM	78	86	92	96	107	P-14691													



Effected From 23rd November 2020

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Prime Curtain Wall Sections							Miscellaneous Sections							Loom Sections						
ZG-2 F	STD	68	75	80	84	99	AE - 01	2.0 MM	541	562	601	631	688	Loom A	Normal	143	153	164	172	196
ZG-CW	4.0 MM	452	496	531	558	618	AE - 02	Normal	63	70	75	79	86	Loom B	Normal	94	102	109	114	129
ZG-CW 1	2.5 MM	574	659	705	740	828	AM - 1	2.6 MM	1049	1126	1205	1265	1405	Loom C	Normal	179	190	203	213	242
ZG-CW 2	2.5 MM	502	576	616	647	743	AM - 2	1.8 MM	94	100	107	112	153	Loom D	Normal	208	221	236	248	279
ZG-CW 3	2.5 MM	450	502	537	564	649	CG-AG1 24.5 x 25.5	Normal	47	52	56	59	45	Loom E	Normal	223	238	255	268	275
ZG-CW 92	2.5 MM	457	525	562	590	677	CG-U1	1.6 MM	85	91	97	102	112	Loom G	Normal	322	334	357	375	425
ZG-OP 1	2.5 MM	204	234	250	263	303	CG-U2	1.6 MM	46	50	54	57	65							
ZG-OP 2	2.5 MM	365	419	448	470	542	SASA 001	Normal	147	154	165	173	188	VIP Series						
P.N. Curtain Wall Sections							SASA 002	Normal	184	198	212	223	239	W 24	1.6 MM	230	236	253	266	300
PN-CW 1	2.5 MM	859	1,042	1,115	1,171	1326	SASA 003	Normal	172	183	196	206	222	W 26	1.6 MM	289	295	316	332	375
PN-CW 2	2.0 MM	416	479	513	539	606	SASA 004	Normal	141	152	163	171	172	W 28	1.6 MM	219	226	242	254	287
PN-CW 2 F	2.0 MM	66	75	80	84	96	SASA 005	Normal	13	14	15	16	15							
PN-CW 3	2.5 MM	133	140	150	158	177	SASA 006	Normal	16	18	19	20	20							
PN-CW 4	1.6 MM	100	116	124	130	147	SASA 007	Normal	175	187	200	210	226							
PN-CW 5	2.0 MM	610	653	699	734	828	SASA 007	1.6 MM	243	262	280	294	332							
Textile Sections							SASA 008	Normal	195	209	224	235	251							
D 29 G	Normal	120	126	135	142	158	SASA 009	Normal	181	194	208	218	234							
D PIPE	3.5 MM	636	682	730	767	866	SASA 010	2.0 MM	460	487	521	547	612							
Scraper / Wiper 01	Normal	707	751	804	844	866	SASA 011	1.6 MM	302	319	341	358	403							

