

Effected From 20th October 2021

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Box Sliding Window Series							Box Sliding Window Series						
AA 23	1.6 MM	385	389	416	436	486	DC 30 E	Normal	381	385	412	431	481
AA 23	2.0 MM	472	478	511	535	598	DC 30 F	Normal	420	425	455	476	531
AA 28	1.6 MM	426	432	462	484	540	DC 30 F	1.6 MM	506	513	549	575	641
AA 28	2.0 MM	524	531	568	595	664	DC 30 F	2.0 MM	594	601	643	673	751
B 6	Normal	76	77	82	86	96	DC 30 H	1.6 MM	506	513	549	575	641
D 31	Normal	106	107	114	120	134	DC 30 J	Normal	433	440	472	494	551
D 31	1.6 MM	136	137	147	153	171	DC 30 J	1.6 MM	518	524	561	587	655
DC 26	Normal	432	438	469	491	548	DC 30 L	1.6 MM	470	478	513	536	598
DC 26 A	Normal	470	475	508	532	594	DC 30 L	2.0 MM	572	581	622	652	726
DC 26 A	1.6 MM	579	586	627	656	733	M 23	Normal	197	199	213	223	249
DC 26 A	2.0 MM	708	716	766	802	895	M 23	1.6 MM	248	251	269	281	314
DC 26 AK	Normal	463	470	504	528	589	M 23	2.0 MM	302	306	327	343	383
DC 26 AK	1.6 MM	597	607	650	681	759	M 23 A	Normal	203	206	220	231	258
DC 26 AK	2.0 MM	718	729	781	817	911	M 23 A	1.6 MM	267	270	289	302	338
DC 26 B	Normal	403	408	437	457	510	M 23 A	2.0 MM	325	329	352	368	411
DC 26 B	1.6 MM	501	507	542	568	634	M 23 B	2.0 MM	286	289	309	324	361
DC 26 B	2.0 MM	594	601	643	673	751	M 23 F	1.6 MM	300	305	327	342	381
DC 26 BA	Normal	421	426	456	477	533	M 24	Normal	233	236	253	264	295
DC 26 BA	1.6 MM	532	538	576	603	673	M 24	1.6 MM	268	271	290	304	339
DC 26 BA	2.0 MM	628	636	681	712	795	M 24	2.0 MM	324	328	351	367	410
DC 26 C	Normal	421	426	456	477	533	M 24 A	Normal	207	209	224	234	261
DC 26 C	1.6 MM	532	538	576	603	673	M 24 A	1.6 MM	263	266	285	298	333
DC 26 C	2.0 MM	628	636	681	712	795	M 24 A	2.0 MM	316	320	342	358	400
DC 26 E	Normal	444	450	482	504	563	M 24 B	2.0 MM	301	304	325	340	380
DC 26 F	Normal	489	495	530	554	619	M 24 C	2.0 MM	288	292	313	328	365
DC 26 F	1.6 MM	584	591	632	662	739	M 26	Normal	324	328	351	367	410
DC 26 F	2.0 MM	687	695	744	778	869	M 26	1.6 MM	395	400	428	448	500
DC 26 H	1.6 MM	584	591	632	662	739	M 26	2.0 MM	465	470	503	526	588
DC 26 J	Normal	485	491	525	550	614	M 26 F	Normal	378	383	410	429	479
DC 26 J	1.6 MM	599	606	648	679	758	M 26 F	1.6 MM	449	455	487	510	569
DC 26 L	1.6 MM	551	560	599	628	699	M 28	Normal	239	242	259	271	303
DC 26 L	2.0 MM	685	697	746	781	871	M 28	1.6 MM	292	295	316	330	369
DC 30	Normal	381	385	412	431	481	M 28	2.0 MM	347	351	376	393	439
DC 30 A	Normal	406	411	440	460	514	M 28 A	Normal	244	247	264	277	309
DC 30 A	1.6 MM	501	507	542	568	634	M 28 A	1.6 MM	302	306	327	343	383
DC 30 A	2.0 MM	639	646	691	724	808	M 28 A	2.0 MM	358	362	387	405	453
DC 30 AK	Normal	401	408	436	457	509	M 28 B	2.0 MM	330	334	357	374	418
DC 30 AK	1.6 MM	519	527	564	590	659	M 30	Normal	290	293	314	328	366
DC 30 AK	2.0 MM	635	646	691	723	807	M 30	1.6 MM	339	343	367	384	429
DC 30 B	Normal	343	347	371	389	434	M 30	2.0 MM	399	403	431	451	504
DC 30 B	1.6 MM	423	428	458	479	535	M 30 F	Normal	340	344	368	385	430
DC 30 B	2.0 MM	501	507	542	568	634	M 30 F	1.6 MM	393	398	426	446	498
DC 30 BA	Normal	364	369	395	413	461	AL Series						
DC 30 BA	1.6 MM	454	460	492	515	575	AL 32	Normal	57	58	62	65	73
DC 30 BA	2.0 MM	537	543	581	608	679	AL 33	1.6 MM	465	470	503	526	588
DC 30 C	Normal	364	369	395	413	461	AL 33	2.0 MM	580	587	628	657	734
DC 30 C	1.6 MM	454	460	492	515	575	AL 35	1.6 MM	334	338	362	379	423
DC 30 C	2.0 MM	537	543	581	608	679	AL 35	2.0 MM	405	410	439	459	513
VIP Series							AL 35 A	1.6 MM	380	384	411	430	480
W 24	1.6 MM	324	329	352	368	412	AL 58	2.0 MM	342	346	370	388	433
W 26	1.6 MM	401	407	437	457	509	AL D 10	1.6 MM	405	410	439	459	513
W 28	1.6 MM	290	294	315	330	368	AL D 10 A	1.6 MM	383	388	415	435	485
Tilt & Turn Windows Series							AL D 10 A	2.0 MM	460	468	501	526	584
TT 41 A	1.6 MM	110	112	121	125	139	AL D 20	1.6 MM	297	301	322	337	376
TT 42 A	Normal	91	92	99	104	115	Hinges Series						
TT 45 A	2.0 MM	538	546	585	614	683	D 57	2.0 MM	414	421	450	472	526
Heat Sink Series							D 58	2.0 MM	276	281	300	314	351
Heat Sink 125.3 x 49.7	Normal	2631	2676	2864	2998	3342	DG 57	1.6 MM	476	483	518	543	605
Heat Sink 61.8 x 32	Normal	1048	1065	1140	1193	1331	DG 58	1.6 MM	427	434	465	485	542

Effected From 20th October 2021

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Deluxe Fixed Glazing Series							Deluxe Swing Doors Series						
D 10	Normal	287	291	311	326	364	D 32	Normal	59	60	64	67	75
D 10	1.6 MM	360	365	391	409	456	D 32 A	Normal	105	106	113	119	133
D 10	2.0 MM	444	450	482	504	563	D 32 B	Normal	109	111	119	124	139
D 10 A	1.6 MM	362	368	394	413	460	D 32 C	Normal	128	129	138	144	161
D 10 A	2.0 MM	491	497	532	557	621	D 32 D	Normal	49	49	53	55	62
D 11	Normal	128	130	139	146	163	D 32 E	Normal	47	47	51	53	60
D 14	Normal	197	199	213	223	249	D 32 F	Normal	48	48	52	54	61
D 15	Normal	126	128	137	143	160	D 32 G	Normal	49	49	53	55	62
D 15 A	Normal	84	86	91	97	106	D 33	Normal	316	320	342	358	400
D 15 B	Normal	116	118	127	133	148	D 33	1.6 MM	428	433	463	485	541
D 16	Normal	330	334	357	374	418	D 33	2.0 MM	522	528	565	591	660
D 16	1.6 MM	381	385	412	431	481	D 34	Normal	112	118	127	133	150
D 16	2.0 MM	463	469	502	525	586	D 34 A	Normal	67	68	74	77	86
D 16 A	1.6 MM	342	346	371	390	434	D 35	Normal	275	278	297	311	348
D 18	Normal	350	355	380	398	444	D 35	1.6 MM	352	356	381	399	445
D 18	1.6 MM	454	460	492	515	575	D 35	2.0 MM	425	430	460	482	538
D 18	2.0 MM	567	574	614	643	718	D 37	Normal	245	250	267	279	313
D 20	2.0 MM	368	373	399	418	466	Box & Openable Door Window Series						
Deluxe Sliding Window Series							D 42	Normal	178	180	193	202	225
D 22	Normal	165	167	179	187	209	D 42 F	Normal	227	230	246	258	288
D 23	Normal	249	252	270	282	315	D 45	Normal	271	274	293	307	343
D 24	Normal	247	250	268	280	313	D 45	2.0 MM	441	447	478	501	559
D 25	Normal	194	197	211	221	246	D 45 A	Normal	239	242	259	271	303
D 26	Normal	260	263	281	295	329	D 45 A	1.6 MM	302	306	327	343	383
D 26 A	Normal	283	286	306	320	358	D 45 A	2.0 MM	363	367	393	411	459
D 27	Normal	292	295	316	330	369	D 45 B	1.6 MM	330	334	357	374	418
D 28	Normal	203	205	219	230	256	D 51	Normal	291	298	311	316	367
D 28 A	Normal	268	271	290	304	339	D 51	1.6 MM	380	388	414	432	483
D 30	Normal	244	247	264	277	309	D 51	2.0 MM	451	458	490	513	572
Strips & Scarting Panel Series							D 51 A	Normal	252	255	273	286	319
D 61	Normal	286	290	310	325	363	D 51 A	1.6 MM	311	315	337	353	394
Strip-1 4.5"	Normal	183	185	198	207	231	D 51 A	2.0 MM	374	379	406	424	474
Strip 2"	2.0 MM	97	98	104	109	122	D 51 B	1.6 MM	343	348	374	391	435
Strip-3 6.0"	Normal	241	244	261	273	305	D 51 F	Normal	294	298	319	334	373
Strip-3 3 X 3/4	3.5 MM	362	368	394	413	460	D 51 F	1.6 MM	366	370	396	414	463
Strip FS-160 - ST	Normal	162	164	176	185	205	D 51 F	2.0 MM	440	446	477	500	558
Strip-150 6.0"	2.0 MM	294	300	321	337	375	D 52	Normal	241	244	261	273	305
Economy Fixed Glazing Series							Fix & Openable Door Frame Series						
E 10	Normal	227	230	246	258	288	D 45 C	Normal	404	409	438	458	511
E 11	Normal	91	92	98	103	115	D 51 C	Normal	457	462	494	517	578
E 14	Normal	164	166	178	186	208	D 51 C	1.6 MM	579	586	627	656	733
E 15	Normal	102	103	110	115	129	D 51 C	2.0 MM	689	698	747	782	873
E 16	Normal	245	247	264	277	309	D 54 C	Normal	388	393	421	440	491
E 18	Normal	308	312	334	349	390	Netting Series						
Economy Sliding Window Series							D 29	Normal	152	154	165	172	193
EF 22	Normal	127	128	137	143	160	D 29 A	Normal	184	186	199	208	233
EF 24	Normal	216	218	233	244	273	D 29 B	Normal	95	96	103	108	120
EF 25	Normal	166	168	180	188	210	D 29 C	Normal	79	81	87	91	102
EF 26	Normal	216	218	233	244	273	D 29 E	2.0 MM	248	253	270	283	315
EF 27	Normal	216	218	233	244	273	D 29 H	Normal	109	110	117	124	138
EF 28	Normal	142	144	154	161	180	DG 29	Normal	195	198	212	222	248
EF 30	Normal	165	167	179	187	209	DG 29	1.6 MM	225	229	245	256	286
Kitchen Series							DG 29	2.0 MM	265	268	288	301	336
K.T.1	Normal	156	158	169	177	198	DG 29 3-T	1.6 MM	324	329	352	368	412
K.T.2	Normal	172	175	187	196	219	Textile Series						
K.T.3	Normal	192	194	208	217	243	D 29 G	Normal	181	184	198	206	230
K.T.4	Normal	176	179	192	200	224	D PIPE	3.5 MM	971	986	1055	1105	1232
K.T.5	Normal	184	187	200	209	232	Scraper / Wiper 01	Normal	1017	1035	1109	1160	1293
K.T.6	Normal	172	175	187	196	219							

Effected From 20th October 2021

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Double Glaze Series							Fix & Openable Door Window Series						
DG 23	1.6 MM	349	353	378	395	441	D 40	Normal	267	270	289	302	338
DG 23	2.0 MM	414	419	448	469	524	D 40 A	Normal	248	253	270	283	315
DG 23 A	1.6 MM	385	389	416	436	486	D 40 A	2.0 MM	354	361	386	404	451
DG 23 A	2.0 MM	454	460	492	515	575	D 41	Normal	102	103	110	115	129
DG 23 B	2.0 MM	566	574	615	644	718	D 41 A	Normal	82	83	89	93	104
DG 23 D	1.6 MM	313	317	340	357	397	D 41 B	Normal	56	59	62	67	75
DG 23 H	1.5 MM	315	321	343	359	401	D 43	Normal	168	171	184	191	214
DG 23 P	1.5 MM	324	329	352	368	412	D 44	Normal	221	224	240	251	280
DG 23 P	2.0 MM	468	476	509	534	595	D 44 A	Normal	271	274	293	307	343
DG 25	1.6 MM	91	92	99	104	115	D 46	Normal	479	485	519	543	606
DG 25 F	1.6 MM	122	124	133	138	154	D 46	2.0 MM	729	737	789	825	921
DG 26	1.6 MM	623	631	675	707	789	D 48	2.0 MM	657	665	712	745	831
DG 26	2.0 MM	746	755	808	846	944	D 48 HD	2.0 MM	917	928	993	1039	1160
DG 26 A	2.0 MM	837	851	912	956	1064	D 48 A	Normal	321	325	348	364	406
DG 26 F	1.6 MM	680	689	737	772	861	D 48 A	1.4 MM	367	371	397	416	464
DG 26 P	1.5 MM	572	581	622	652	726	D 48 A	2.0 MM	501	507	542	568	634
DG 26 P	2.0 MM	830	844	903	946	1055	D 49	Normal	112	113	122	127	141
DG 28	1.6 MM	145	150	159	168	199	D 49 B	Normal	148	150	161	168	187
DG 30	Normal	122	124	133	138	154	D 50	Normal	308	311	333	348	389
DG 30 A	Normal	99	100	108	113	125	D 50	1.6 MM	392	397	425	445	496
DG 31	1.5 MM	178	181	194	204	227	D 50	2.0 MM	473	479	513	536	599
DG 32	1.6 MM	66	67	72	75	84	D 50 A	Normal	273	276	295	309	345
DG 33	1.5 MM	503	509	545	570	637	D 50 A	1.6 MM	325	329	352	368	411
DG 41	Normal	102	103	110	115	129	D 50 A	2.0 MM	388	393	421	440	491
DG 41 E	Normal	140	141	151	158	176	D 50 B	Normal	383	388	415	435	485
DG 45	1.6 MM	414	421	451	472	527	D 50 B	1.6 MM	491	497	532	557	621
DG 50	1.6 MM	456	461	493	516	576	D 50 B	2.0 MM	599	606	648	679	758
DG 51 A	1.4 MM	369	376	403	421	469	D 54	Normal	269	276	293	308	345
DG 51 A	2.0 MM	487	493	528	552	616	D 54	2.0 MM	357	363	389	406	453
DG 51 D	1.6 MM	702	710	760	795	888	D 54 A	Normal	221	223	239	250	279
DG 51 D	2.0 MM	812	822	880	921	1028	D 54 A	1.6 MM	269	272	291	305	340
DG 51 E	2.0 MM	530	539	577	605	673	D 54 A	2.0 MM	322	326	349	365	408
DG 59	1.5 MM	433	439	470	492	549	D 54 F	Normal	271	274	293	307	343
Door Handle Series							D 54 F	1.6 MM	324	328	351	367	410
H 7	Normal	102	103	110	115	129	D 54 F	2.0 MM	390	394	422	441	493
D 38	2.0 MM	445	450	482	504	563	D 54 H	1.6 MM	324	328	351	367	410
D 38 B	2.0 MM	315	319	341	357	399	D 59	Normal	299	302	323	338	378
D 38 E	2.0 MM	434	442	473	495	552	D 59	1.6 MM	344	348	372	390	435
D 38 F	Normal	362	368	394	413	460	D 59	2.0 MM	407	412	441	461	515
Louvers Series							D 59 A	Normal	305	309	331	346	386
Louver 39	Normal	124	125	134	140	156	D 59 A	1.6 MM	371	375	401	420	469
Louver 39	1.6 MM	148	150	161	168	187	D 59 A	2.0 MM	434	439	470	492	549
Louver 39	2.0 MM	178	181	194	204	227	D 59 B	Normal	292	298	317	332	370
Louver 39 4"	2.0 MM	258	263	282	294	329	Loom Series						
Louver 39 4.5"	2.0 MM	317	324	346	363	404	Loom A	Normal	210	213	228	239	266
Louver - HT	1.6 MM	199	202	216	227	253	Loom B	Normal	135	137	147	153	171
P-14713	1.6 MM	361	367	393	411	459	Loom C	Normal	279	283	304	319	354
P-14713 A	Normal	205	208	224	235	261	Loom D	Normal	307	313	336	351	391
P-14713 C	Normal	486	495	530	555	619	Loom E	Normal	329	334	358	375	417
G - 7	Normal	141	144	154	162	181	Loom G	Normal	475	482	516	541	604
							Loom T-2	Normal	320	327	350	366	407
							EC Series						
							EC 23	Normal	159	161	172	180	201
							EC 24	Normal	192	194	208	217	243
							EC 28	Normal	203	205	219	230	256
							EC 26 B	Normal	357	361	386	404	451
							EC 30 B	Normal	307	311	333	348	389
							EC 26 F	Normal	389	394	422	442	493
							EC 30 F	Normal	331	336	360	376	420

Effected From 20th October 2021

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Curtain Wall Series							Prime Series						
CW 001 A LN	2.0 MM	595	605	647	678	756	P-08009	1.6 MM	459	466	498	522	582
CW 1	2.0 MM	758	771	823	863	963	P-08104	Normal	247	251	269	282	314
CW 1 OL	2.5 MM	1048	1065	1140	1193	1331	P-08104	1.6 MM	298	302	323	339	377
CW 1 001 LN	2.0 MM	797	810	867	909	1012	P-08105	Normal	286	290	311	325	363
CW 1 A	2.0 MM	595	605	647	678	756	P-08105	1.6 MM	335	340	365	382	426
CW 1 A LN	2.0 MM	567	576	616	645	720	P-08221	1.6 MM	519	527	565	591	659
CW 1 B	2.5 MM	1254	1288	1370	1438	1610	P-09718	2.5 MM	251	255	273	286	320
CW 1 B	6.0 MM	2325	2363	2530	2648	2954	P-10015	1.6 MM	332	337	361	378	421
CW 1 B 70 M	2.5 MM	1210	1229	1316	1378	1535	P-10023	STD	84	86	92	97	107
CW 1 B C	2.5 MM	1176	1197	1280	1341	1495	P-10178	1.6 MM	160	162	174	182	202
CW 1 B ND	2.5 MM	1168	1188	1273	1332	1485	P-10371	Normal	108	109	117	124	137
CW 1 B S	2.0 MM	899	914	979	1026	1143	P-10377	Normal	100	101	109	115	128
CW 1 B SN	2.5 MM	1147	1165	1248	1305	1455	P-10485	1.6 MM	298	302	323	339	377
CW 1 C	2.0 MM	616	626	669	701	782	P-10486	Normal	90	92	98	101	114
CW 1 D	2.0 MM	716	729	780	817	910	P-10486 A	Normal	85	87	93	98	108
CW 1 L ND	2.0 MM	795	807	864	905	1009	P-10492	Normal	178	181	193	202	225
CW 1 LN	2.0 MM	799	812	871	911	1014	P-10765	Normal	129	131	140	147	163
CW 1 S	2.0 MM	610	620	665	696	775	P-11218	2.0 MM	382	388	416	436	485
CW 1 S-CL	3.0 MM	569	578	620	649	722	P-11219	1.6 MM	120	122	130	137	152
CW 10	1.6 MM	294	300	321	337	375	P-11321	Normal	84	86	92	97	107
CW 10744	2.0 MM	290	294	315	330	368	P-12745	Normal	156	159	169	176	197
CW 13212	2.0 MM	513	521	558	583	650	P-12983	1.6 MM	330	335	358	375	419
CW 2	2.0 MM	265	268	288	301	336	P-12986	1.6 MM	421	429	459	481	536
CW 2 70 M	2.0 MM	301	306	328	344	383	P-12986 A	1.6 MM	480	486	522	546	610
CW 2 A	2.0 MM	245	250	267	279	313	P-12986 A	2.0 MM	595	605	647	677	756
CW 2 E	2.0 MM	64	66	71	74	83	P-13011	1.6 MM	368	375	401	420	469
CW 2 F	2.0 MM	104	105	113	117	131	P-13012	1.6 MM	382	388	416	436	485
CW 2 G (Cleat)	Normal	657	668	715	749	835	P-13013	1.6 MM	505	514	550	576	643
CW 2 G ND (Cleat)	Normal	665	675	723	758	844	P-13142	1.6 MM	276	279	300	313	350
CW 2 H (Cleat)	Normal	569	578	620	649	722	P-13142	2.0 MM	330	335	358	375	419
CW 3	Normal	156	168	179	191	212	P-13237	1.6 MM	429	437	468	490	545
CW 3 70 M	Normal	191	193	206	220	243	P-13406	1.6 MM	713	726	776	813	906
CW 3 30 x 70 M	Normal	198	199	213	227	251	P-13640	2.0 MM	497	506	543	567	633
CW 3 A	Normal	127	128	137	146	161	P-13661	2.5 MM	1105	1124	1202	1258	1403
CW 3 A ND	Normal	242	244	261	278	307	P-13906	1.6 MM	337	343	367	384	428
CW 3 A B	Normal	205	207	222	237	261	P-13906	2.0 MM	408	415	444	465	519
CW 9	1.6 MM	127	129	138	144	161	P-13906 A	2.0 MM	529	538	576	603	673
CW RN 1	3.0 MM	1561	1587	1699	1779	1984	P-13906 D	2.0 MM	895	911	975	1020	1137
CW RN 3	3.0 MM	988	1003	1074	1126	1255	P-14275	Normal	355	362	386	405	452
CW OP 10744 L	2.0 MM	302	308	330	345	385	P-14508	1.6 MM	769	782	837	876	976
CW OP 13212 L	2.0 MM	721	733	785	822	917	P-14509	1.6 MM	613	623	667	699	780
CW VR 13510	2.0 MM	902	917	981	1028	1145	P-14689	1.6 MM	437	444	475	498	555
Prime Curtain Wall Series							P-14689	2.0 MM	536	545	583	611	680
ZG-2 F	STD	114	115	124	129	144	P-14689 A	1.6 MM	451	458	490	513	572
ZG-CW	4.0 MM	580	589	631	661	736	P-14691	1.6 MM	729	742	794	830	926
ZG-CW 1	2.5 MM	917	932	997	1043	1164	P-14691 A	2.0 MM	1013	1030	1104	1156	1288
ZG-CW 2	2.5 MM	822	835	894	936	1043	P-14713	1.6 MM	361	367	393	411	459
ZG-CW 3	2.5 MM	753	765	819	858	957	P-14713 A	Normal	205	208	224	235	261
ZG-CW 92	2.5 MM	734	748	800	837	934	P-14713 B	1.4 MM	190	193	206	216	240
ZG-OP 1	2.5 MM	315	321	344	361	401	P-14713 C	Normal	486	495	530	555	619
ZG-OP 2	2.5 MM	582	591	634	664	739	P-64 X 60	2.0 MM	522	530	568	593	662
P.N. Curtain Wall Series							P-7004 S	2.0 MM	133	137	146	153	170
PN-CW 1	2.5 MM	1385	1408	1507	1578	1760	P-9051	1.6 MM	71	72	77	82	90
PN-CW 2	2.0 MM	613	623	667	699	780	P-9888	2.0 MM	71	72	77	82	90
PN-CW 2 F	2.0 MM	106	107	115	120	133							
PN-CW 3	2.5 MM	176	179	192	201	224							
PN-CW 4	1.6 MM	116	117	127	132	147							
PN-CW 5	2.0 MM	858	873	934	978	1091							

Effected From 20th October 2021

Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating	Section Name	Thickness (MM)	Dull Silver	Chm Ral	Brown Sahara	Multi Black	Wood Coating
Pipes Series							Angles Series						
D 60	Normal	176	179	192	200	224	Angle 1 X 1	3.0 MM	149	150	161	168	188
D 60 A	Normal	220	224	239	251	279	Angle 16 X 16	1.5 MM	49	49	53	55	62
Rect. Pipe 2" X 1"	Normal	195	198	212	222	248	Angle 1x½ 1x½" 38 MM	3.0 MM	227	230	246	258	288
Rect. Pipe 2" X 1" W-S	1.6 MM	276	282	293	311	345	Angle 1x½ X 3	5.0 MM	590	599	642	672	749
Rect. Pipe 2" X 1"	3.0 MM	437	444	476	498	555	Angle 1x¾ 1x¾" 32 MM	3.0 MM	189	191	204	214	239
Rect. Pipe 2" X 5"	2.5 MM	959	975	1045	1093	1218	Angle 1x¾ 1x¾" 32 MM	5.0 MM	270	275	293	308	344
Rect. Pipe 3" X 1"	Normal	252	255	273	286	319	Angle 40 X 40	5.0 MM	412	417	447	468	522
Rect. Pipe 3" X 1"	3.0 MM	621	631	675	707	788	Angle 76 X 56	STD	745	758	811	849	946
Rect. Pipe 3" X 1x½"	Normal	289	293	314	328	367	Miscellaneous Sections						
Rect. Pipe 3" X 2"	3.0 MM	802	814	873	913	1019	AE - 01	2.0 MM	800	814	871	912	1017
Rect. Pipe 4" X 1X 3/4"	1.6 MM	493	500	518	535	587	AE - 02	Normal	95	97	104	108	120
Rect. Pipe 4" X 1X 3/4"	2.0 MM	629	636	650	667	738	AM 01	2.6 MM	790	804	860	900	1003
Rect. Pipe 6" X 2x½" 65 X 150	1.6 MM	775	789	845	884	986	AM 02	1.8 MM	139	141	152	159	178
Rect. Pipe 20 X 50 MM	3.0 MM	445	452	484	507	566	CG-AG1 24.5 x 25.5	Normal	54	55	60	62	68
Rect. Pipe 100 X 20 MM	1.6 MM	434	442	473	495	552	CG-U1	1.6 MM	131	133	143	150	168
Rect. Pipe 100 X 25 MM	2.0 MM	518	527	564	590	657	CG-U2	1.6 MM	61	62	66	69	77
Rect. Pipe 100 X 44 MM	1.6 MM	526	534	572	598	667	BAAR 01	6.0 MM	4838	4919	5267	5514	6147
Rect. Pipe 100 X 50 MM	2.0 MM	634	644	690	722	805	BAAR 02	3.5 MM	1337	1360	1456	1524	1699
Rect. Pipe 110 X 50 MM	2.0 MM	683	695	743	779	868	BAAR 03	6.0 MM	1513	1539	1647	1726	1923
M- Pipe-1 100 X 150 MM	2.5 MM	1443	1467	1571	1645	1833	BAAR 04	STD	1064	1082	1158	1212	1351
M- Pipe-2 100 X 150 MM	2.5 MM	1421	1446	1548	1620	1807	BAAR E-2 151 X 15	STD	2765	2811	3008	3151	3512
M- Pipe 6" X 4"	2.5 MM	1469	1493	1599	1673	1866	BAAR Zig	6.0 MM	1485	1510	1617	1693	1887
Sq. Pipe 1" X 1"	Normal	125	128	137	143	160	BAAR-B 200 X 22	STD	4723	4802	5142	5382	6001
Sq. Pipe 1" X 1"	3.0 MM	288	292	313	328	365	BAAR-C 150 X 15	STD	2467	2508	2685	2812	3134
Sq. Pipe 1x½ 1x½" 38 MM	Normal	199	202	216	230	252	BAAR-E 151 X 15	STD	2467	2508	2685	2812	3134
Sq. Pipe 2" X 2"	Normal	268	274	293	307	343	BAAR-E 151 X 20 2S	STD	2858	2906	3111	3257	3631
Sq. Pipe 2" X 2"	2.5 MM	526	534	572	598	667	BAAR-J 50 X 50	STD	2765	2811	3008	3151	3512
Sq. Pipe 2" X 2"	3.0 MM	619	629	673	705	785	L 26	Normal	189	192	205	215	239
Sq. Pipe 1x¾ 1x¾" 32 MM	Normal	168	170	183	191	214	L 30	Normal	168	170	182	191	213
Round Pipe D-1 "	1.0 MM	86	89	94	99	110	SASA 001	Normal	225	229	245	256	286
Round Pipe D-3 "	3.8 MM	909	923	989	1035	1155	SASA 002	Normal	286	290	311	325	363
Round Pipe D-16 MM	1.5 MM	72	74	78	83	92	SASA 003	Normal	266	270	290	302	337
Round Pipe D-18.8 MM	1.4 MM	79	82	87	92	101	SASA 004	Normal	214	216	232	244	270
Round Pipe D-22 MM	2.0 MM	133	137	146	153	170	SASA 005	Normal	18	20	21	21	23
Round Pipe D-30 MM	2.0 MM	200	204	217	228	254	SASA 006	Normal	21	22	23	24	28
Round Pipe D-36 MM	2.0 MM	237	240	258	270	301	SASA 007	1.6 MM	378	385	412	431	482
Round Pipe D-40 MM	2.0 MM	277	281	301	315	352	SASA 007	Normal	279	283	304	319	354
Round Pipe D-41 MM	1.5 MM	202	206	221	230	258	SASA 008	Normal	319	323	346	363	405
Round Pipe D-50 MM	1.8 MM	290	294	315	330	368	SASA 009	Normal	266	270	290	302	337
							SASA 010	2.0 MM	605	615	659	690	769
							SASA 011	1.6 MM	398	405	432	453	505
							SASA 012	Normal	121	124	131	138	153
							SASA 013	1.4 MM	205	208	224	235	261
							SASA 014	1.6 MM	672	683	730	765	852
							SASA 015	1.6 MM	537	546	584	612	683