

Effected From 10 th Feburary 2022

Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+	Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+
Box Sliding Window Series							Box Sliding Window Series						
AA 23	1.6 MM	404	408	437	457	510	DC 30 E	Normal	400	404	432	452	505
AA 23	2.0 MM	496	502	537	562	628	DC 30 F	Normal	441	446	477	500	558
AA 28	1.6 MM	447	454	486	508	568	DC 30 F	1.6 MM	531	539	577	604	674
AA 28	2.0 MM	550	558	597	625	698	DC 30 F	2.0 MM	624	631	675	707	789
B 6	Normal	80	81	87	91	101	DC 30 H	1.6 MM	531	539	577	604	674
D 31	Normal	111	112	120	125	140	DC 30 J	Normal	455	462	496	519	579
D 31	1.6 MM	143	144	154	161	180	DC 30 J	1.6 MM	544	550	589	616	688
DC 26	Normal	454	460	492	515	575	DC 30 L	1.6 MM	494	502	539	563	628
DC 26 A	Normal	494	499	534	559	624	DC 30 L	2.0 MM	601	610	653	685	762
DC 26 A	1.6 MM	608	615	658	689	769	M 23	Normal	207	209	224	234	261
DC 26 A	2.0 MM	743	752	805	842	940	M 23	1.6 MM	260	264	282	296	330
DC 26 AK	Normal	486	494	529	554	618	M 23	2.0 MM	317	321	343	360	401
DC 26 AK	1.6 MM	627	637	683	715	797	M 23 A	Normal	213	216	231	242	270
DC 26 AK	2.0 MM	754	765	820	858	957	M 23 A	1.6 MM	280	284	304	318	355
DC 26 B	Normal	423	428	458	479	535	M 23 A	2.0 MM	341	345	369	386	431
DC 26 B	1.6 MM	526	532	569	596	665	M 23 B	2.0 MM	300	303	324	340	379
DC 26 B	2.0 MM	624	631	675	707	789	M 23 F	1.6 MM	315	320	343	359	400
DC 26 BA	Normal	442	447	478	501	559	M 24	Normal	245	248	265	278	310
DC 26 BA	1.6 MM	559	565	605	633	706	M 24	1.6 MM	281	285	305	319	356
DC 26 BA	2.0 MM	659	668	715	748	835	M 24	2.0 MM	340	344	368	385	430
DC 26 C	Normal	442	447	478	501	559	M 24 A	Normal	217	219	234	245	274
DC 26 C	1.6 MM	559	565	605	633	706	M 24 A	1.6 MM	276	279	299	312	349
DC 26 C	2.0 MM	659	668	715	748	835	M 24 A	2.0 MM	332	336	360	376	420
DC 26 E	Normal	466	473	506	530	591	M 24 B	2.0 MM	316	319	341	357	399
DC 26 F	Normal	513	520	556	582	650	M 24 C	2.0 MM	302	307	329	344	383
DC 26 F	1.6 MM	613	621	664	696	776	M 26	Normal	340	344	368	385	430
DC 26 F	2.0 MM	721	730	781	818	913	M 26	1.6 MM	415	420	449	470	525
DC 26 H	1.6 MM	613	621	664	696	776	M 26	2.0 MM	488	494	529	553	618
DC 26 J	Normal	509	516	552	578	645	M 26 F	Normal	397	402	430	450	503
DC 26 J	1.6 MM	629	636	681	712	795	M 26 F	1.6 MM	471	478	511	535	598
DC 26 L	1.6 MM	579	588	629	659	734	M 28	Normal	251	254	272	284	318
DC 26 L	2.0 MM	719	732	783	820	915	M 28	1.6 MM	307	310	332	347	388
DC 30	Normal	400	404	432	452	505	M 28	2.0 MM	364	369	395	413	461
DC 30 A	Normal	426	432	462	484	540	M 28 A	Normal	256	259	277	290	324
DC 30 A	1.6 MM	526	532	569	596	665	M 28 A	1.6 MM	317	321	343	360	401
DC 30 A	2.0 MM	671	678	725	759	848	M 28 A	2.0 MM	376	380	407	426	475
DC 30 AK	Normal	421	428	458	480	534	M 28 B	2.0 MM	347	351	376	393	439
DC 30 AK	1.6 MM	545	553	592	620	692	M 30	Normal	305	308	330	345	385
DC 30 AK	2.0 MM	667	678	726	759	847	M 30	1.6 MM	356	360	385	403	450
DC 30 B	Normal	360	364	390	408	456	M 30	2.0 MM	419	423	453	474	529
DC 30 B	1.6 MM	444	449	481	503	562	M 30 F	Normal	357	361	386	404	451
DC 30 B	2.0 MM	526	532	569	596	666	M 30 F	1.6 MM	413	418	447	468	523
DC 30 BA	Normal	382	387	414	433	484	AL Series						
DC 30 BA	1.6 MM	477	483	517	541	604	AL 32	Normal	60	61	65	68	76
DC 30 BA	2.0 MM	564	570	610	638	713	AL 33	1.6 MM	488	494	529	553	618
DC 30 C	Normal	382	387	414	433	484	AL 33	2.0 MM	609	616	659	690	770
DC 30 C	1.6 MM	477	483	517	541	604	AL 35	1.6 MM	351	355	380	398	444
DC 30 C	2.0 MM	564	570	610	638	713	AL 35	2.0 MM	425	431	461	483	539
VIP Series							AL 35 A	1.6 MM	399	403	431	451	504
W 24	1.6 MM	340	345	370	386	433	AL 58	2.0 MM	359	363	388	407	455
W 26	1.6 MM	421	427	459	480	534	AL D 10	1.6 MM	425	431	461	483	539
W 28	1.6 MM	305	309	331	347	386	AL D 10 A	1.6 MM	402	407	435	456	509
Tilt & Turn Windows Series							AL D 10 A	2.0 MM	483	491	526	552	613
TT 41 A	1.6 MM	116	118	127	131	146	AL D 20	1.6 MM	312	316	338	354	395
TT 42 A	Normal	96	97	104	109	121	Hinges Series						
TT 45 A	2.0 MM	565	573	614	645	717	D 57	2.0 MM	435	442	473	496	552
Heat Sink Series							D 58	2.0 MM	290	295	315	330	369
Heat Sink 125.3 x 49.7	Normal	2763	2810	3007	3148	3509	DG 57	1.6 MM	500	507	544	570	635
Heat Sink 61.8 x 32	Normal	1100	1118	1197	1253	1398	DG 58	1.6 MM	448	456	488	509	569

Effected From 10 th February 2022

Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+	Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+
Deluxe Fixed Glazing Series							Deluxe Swing Doors Series						
D 10	Normal	301	306	327	343	383	D 32	Normal	62	63	67	71	79
D 10	1.6 MM	378	383	410	429	479	D 32 A	Normal	110	111	119	124	139
D 10	2.0 MM	466	473	506	530	591	D 32 B	Normal	114	117	125	131	146
D 10 A	1.6 MM	380	386	414	434	483	D 32 C	Normal	134	135	144	151	169
D 10 A	2.0 MM	516	522	559	585	653	D 32 D	Normal	51	51	56	58	65
D 11	Normal	134	137	147	153	171	D 32 E	Normal	49	49	54	56	63
D 14	Normal	207	209	224	234	261	D 32 F	Normal	50	50	55	57	64
D 15	Normal	132	134	143	150	168	D 32 G	Normal	51	51	56	58	65
D 15 A	Normal	88	90	96	102	111	D 33	Normal	332	336	360	376	420
D 15 B	Normal	122	124	133	140	155	D 33	1.6 MM	449	455	487	510	569
D 16	Normal	347	351	376	393	439	D 33	2.0 MM	548	554	593	620	693
D 16	1.6 MM	400	404	432	452	505	D 34	Normal	118	124	133	140	158
D 16	2.0 MM	486	492	526	551	615	D 34 A	Normal	70	71	78	81	90
D 16 A	1.6 MM	359	363	390	410	456	D 35	Normal	289	292	312	327	365
D 18	Normal	368	373	399	418	466	D 35	1.6 MM	370	374	400	419	468
D 18	1.6 MM	477	483	517	541	604	D 35	2.0 MM	446	452	484	506	565
D 18	2.0 MM	595	603	645	675	754	D 37	Normal	257	263	280	293	329
D 20	2.0 MM	386	392	419	439	490	Box & Openable Door Window Series						
Deluxe Sliding Window Series							D 42	Normal	187	189	202	212	236
D 22	Normal	173	175	187	196	219	D 42 F	Normal	238	242	259	271	303
D 23	Normal	261	265	284	297	331	D 45	Normal	285	288	308	323	360
D 24	Normal	259	263	281	295	329	D 45	2.0 MM	463	469	502	525	586
D 25	Normal	204	207	221	232	259	D 45 A	Normal	251	254	272	284	318
D 26	Normal	273	276	295	309	345	D 45 A	1.6 MM	317	321	343	360	401
D 26 A	Normal	297	300	321	336	375	D 45 A	2.0 MM	381	385	412	431	481
D 27	Normal	307	310	332	347	388	D 45 B	1.6 MM	347	351	376	393	439
D 28	Normal	213	215	230	241	269	D 51	Normal	306	313	327	332	385
D 28 A	Normal	281	285	305	319	356	D 51	1.6 MM	399	407	435	454	507
D 30	Normal	256	259	277	290	324	D 51	2.0 MM	474	481	515	539	601
Strips & Scarting Panel Series							D 51 A	Normal	265	268	287	300	335
D 61	Normal	300	305	326	342	381	D 51 A	1.6 MM	327	331	354	371	414
Strip-1 4.5"	Normal	192	194	208	217	243	D 51 A	2.0 MM	393	398	426	446	498
Strip 2"	2.0 MM	102	103	109	114	128	D 51 B	1.6 MM	360	365	393	411	457
Strip-3 6.0"	Normal	253	256	274	287	320	D 51 F	Normal	309	313	335	351	391
Strip-3 3 X 3/4	3.5 MM	380	386	414	434	483	D 51 F	1.6 MM	384	389	416	436	486
Strip FS-160 - ST	Normal	170	172	185	194	215	D 51 F	2.0 MM	462	468	501	524	585
Strip-150 6.0"	2.0 MM	309	315	337	354	394	D 52	Normal	253	256	274	287	320
Economy Fixed Glazing Series							Fix & Openable Door Frame Series						
E 10	Normal	238	242	259	271	303	D 45 C	Normal	424	429	459	480	536
E 11	Normal	96	97	104	109	121	D 51 C	Normal	480	485	519	543	606
E 14	Normal	172	174	186	195	218	D 51 C	1.6 MM	608	615	658	689	769
E 15	Normal	107	108	116	121	135	D 51 C	2.0 MM	723	733	784	821	916
E 16	Normal	257	259	277	290	324	D 54 C	Normal	407	413	442	463	516
E 18	Normal	323	328	351	367	410	Netting Series						
Economy Sliding Window Series							D 29	Normal	160	162	173	181	203
EF 22	Normal	133	134	144	150	168	D 29 A	Normal	193	195	209	218	244
EF 24	Normal	227	229	245	256	286	D 29 B	Normal	100	101	108	113	126
EF 25	Normal	174	176	189	197	220	D 29 C	Normal	83	85	91	96	107
EF 26	Normal	227	229	245	256	286	D 29 D	Normal	170	172	184	193	215
EF 27	Normal	227	229	245	256	286	D 29 E	2.0 MM	260	266	284	297	331
EF 28	Normal	149	151	162	169	189	D 29 H	Normal	114	116	123	130	145
EF 30	Normal	173	175	187	196	219	DG 29	Normal	205	208	223	233	260
Kitchen Series							DG 29	1.6 MM	236	240	257	269	300
K.T.1	Normal	164	166	178	186	208	DG 29	2.0 MM	278	281	302	316	353
K.T.2	Normal	181	184	197	206	230	DG 29 3-T	1.6 MM	340	345	370	386	433
K.T.3	Normal	202	204	218	228	255	Textile Series						
K.T.4	Normal	185	188	201	211	235	D 29 G	Normal	190	193	208	216	242
K.T.5	Normal	198	201	215	225	251	D PIPE	3.5 MM	1020	1035	1108	1160	1294
K.T.6	Normal	181	184	197	206	230	Scrapper / Wiper 01	Normal	1068	1087	1164	1218	1358

Effected From 10 th Feburary 2022

Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+	Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+
Double Glaze Series							Fix & Openable Door Window Series						
DG 23	1.6 MM	366	371	397	416	464	D 40	Normal	280	284	304	318	355
DG 23	2.0 MM	435	440	471	493	550	D 40 A	Normal	260	266	284	297	331
DG 23 A	1.6 MM	404	408	437	457	510	D 40 A	2.0 MM	372	379	405	424	474
DG 23 A	2.0 MM	477	483	517	541	604	D 41	Normal	107	108	116	121	135
DG 23 B	2.0 MM	594	603	646	676	754	D 41 A	Normal	86	87	93	97	109
DG 23 D	1.6 MM	329	333	357	375	417	D 41 B	Normal	59	62	65	70	79
DG 23 H	1.5 MM	331	337	360	377	421	D 43	Normal	176	180	193	201	225
DG 23 P	1.5 MM	340	345	370	386	433	D 44	Normal	232	235	251	263	294
DG 23 P	2.0 MM	491	500	534	561	625	D 44 A	Normal	285	288	308	322	360
DG 25	1.6 MM	96	97	104	109	121	D 46	Normal	503	509	545	570	636
DG 25 F	1.6 MM	128	130	140	145	162	D 46	2.0 MM	765	774	828	867	968
DG 26	1.6 MM	654	663	709	743	829	D 48	2.0 MM	690	698	747	782	873
DG 26	2.0 MM	783	793	849	888	991	D 48 HD	2.0 MM	963	974	1042	1091	1218
DG 26 A	2.0 MM	879	894	958	1004	1117	D 48 A	Normal	337	341	365	382	426
DG 26 F	1.6 MM	714	723	774	810	904	D 48 A	1.4 MM	385	390	417	437	488
DG 26 P	1.5 MM	601	610	653	685	762	D 48 A	2.0 MM	526	532	569	596	665
DG 26 P	2.0 MM	872	886	948	993	1108	D 48 B	1.6 MM	293	297	318	333	371
DG 28	1.6 MM	152	158	167	176	209	D 48 D	STD	624	634	678	711	792
DG 30	Normal	128	130	140	145	162	D 49	Normal	118	119	128	133	148
DG 30 A	Normal	104	105	113	119	131	D 49 B	Normal	155	158	169	176	196
DG 31	1.5 MM	187	190	204	214	238	D 50	Normal	323	327	350	366	409
DG 32	1.6 MM	69	70	76	79	88	D 50	1.6 MM	412	417	446	467	521
DG 33	1.5 MM	528	534	572	599	669	D 50	2.0 MM	497	503	538	563	629
DG 41	Normal	107	108	116	121	135	D 50 A	Normal	287	290	310	325	363
DG 41 E	Normal	147	148	158	166	185	D 50 A	1.6 MM	341	345	369	386	431
DG 45	1.6 MM	435	442	474	496	553	D 50 A	2.0 MM	407	413	442	463	516
DG 50	1.6 MM	479	484	518	542	605	D 50 B	Normal	402	407	435	456	509
DG 51 A	1.4 MM	387	395	423	442	492	D 50 B	1.6 MM	516	522	559	585	653
DG 51 A	2.0 MM	511	518	554	580	648	D 50 B	2.0 MM	629	636	681	712	795
DG 51 D	1.6 MM	737	746	798	836	933	D 54	Normal	282	290	308	323	362
DG 51 D	2.0 MM	853	863	923	967	1079	D 54	2.0 MM	375	381	408	426	476
DG 51 E	2.0 MM	557	566	606	635	707	D 54 A	Normal	232	234	250	262	293
DG 59	1.5 MM	455	461	494	517	576	D 54 A	1.6 MM	282	286	306	320	358
Door Handle Series							D 54 A	2.0 MM	338	342	366	383	428
H 7	Normal	107	108	116	121	135	D 54 F	Normal	285	288	308	323	360
D 38	2.0 MM	467	473	506	530	591	D 54 F	1.6 MM	340	344	368	385	430
D 38 B	2.0 MM	331	335	358	375	419	D 54 F	2.0 MM	410	414	443	464	518
D 38 E	2.0 MM	456	464	497	520	580	D 54 H	1.6 MM	340	344	368	385	430
D 38 F	Normal	380	386	414	434	483	D 59	Normal	314	317	339	355	396
EC Series							D 59	1.6 MM	361	365	391	409	456
EC 23	Normal	167	169	181	189	211	D 59	2.0 MM	427	433	463	485	541
EC 24	Normal	202	204	218	228	255	D 59 A	Normal	320	324	347	363	405
EC 28	Normal	213	215	230	241	269	D 59 A	1.6 MM	390	394	422	441	493
EC 26 B	Normal	375	379	406	424	474	D 59 A	2.0 MM	456	461	493	516	576
EC 30 B	Normal	322	327	350	365	408	D 59 B	Normal	307	313	333	349	389
EC 26 F	Normal	408	414	443	464	518	Louvers Series						
EC 30 F	Normal	348	353	378	395	441	Louver 39	Normal	130	131	140	147	164
Loom Series							Louver 39	1.6 MM	155	158	169	176	196
Loom A	Normal	221	224	239	251	279	Louver 39	2.0 MM	187	190	204	214	238
Loom B	Normal	142	144	154	161	180	Louver 39 4"	2.0 MM	271	276	296	309	345
Loom C	Normal	293	297	319	335	372	Louver 39 4.5"	2.0 MM	333	340	363	381	424
Loom D	Normal	322	329	353	369	411	Louver - HT	1.6 MM	209	212	227	238	266
Loom E	Normal	345	351	376	394	438	P-14713	1.6 MM	379	385	413	432	482
Loom G	Normal	499	506	542	568	634	P-14713 A	Normal	215	218	235	247	274
Loom T-2	Normal	336	343	368	384	427	P-14713 C	Normal	510	520	557	583	650
							G - 7	Normal	148	151	162	170	190

Effected From 10 th Feburary 2022

Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+	Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+
Curtain Wall Series							Prime Series						
CW 001 A LN	2.0 MM	625	635	679	712	794	P-08009	1.6 MM	482	489	523	548	611
CW 1	2.0 MM	796	810	864	906	1011	P-08104	Normal	259	264	282	296	330
CW 1 OL	2.5 MM	1100	1118	1197	1253	1398	P-08104	1.6 MM	313	317	339	356	396
CW 1 001 LN	2.0 MM	837	851	910	954	1063	P-08105	Normal	300	305	327	341	381
CW 1 A	2.0 MM	625	635	679	712	794	P-08105	1.6 MM	352	357	383	401	447
CW 1 A LN	2.0 MM	595	605	647	677	756	P-08221	1.6 MM	545	553	593	621	692
CW 1 B	2.5 MM	1317	1352	1439	1510	1691	P-09718	2.5 MM	264	268	287	300	336
CW 1 B	6.0 MM	2441	2481	2657	2780	3102	P-10015	1.6 MM	349	354	379	397	442
CW 1 B 70 M	2.5 MM	1271	1290	1382	1447	1612	P-10023	STD	88	90	97	102	112
CW 1 B C	2.5 MM	1235	1257	1344	1408	1570	P-10178	1.6 MM	168	170	183	191	212
CW 1 B ND	2.5 MM	1226	1247	1337	1399	1559	P-10371	Normal	113	114	123	130	144
CW 1 B S	2.0 MM	944	960	1028	1077	1200	P-10377	Normal	105	106	114	121	134
CW 1 B SN	2.5 MM	1204	1223	1310	1370	1528	P-10485	1.6 MM	313	317	339	356	396
CW 1 C	2.0 MM	647	657	702	736	821	P-10486	Normal	95	97	103	106	120
CW 1 D	2.0 MM	752	765	819	858	956	P-10486 A	Normal	89	91	98	103	113
CW 1 L ND	2.0 MM	835	847	907	950	1059	P-10492	Normal	187	190	203	212	236
CW 1 LN	2.0 MM	839	853	915	957	1065	P-10765	Normal	135	138	147	154	171
CW 1 S	2.0 MM	641	651	698	731	814	P-11218	2.0 MM	401	407	437	458	509
CW 1 S-CL	3.0 MM	597	607	651	681	758	P-11219	1.6 MM	126	128	137	144	160
CW 10	1.6 MM	309	315	337	354	394	P-11321	Normal	88	90	97	102	112
CW 10744	2.0 MM	305	309	331	347	386	P-12745	Normal	164	167	177	185	207
CW 13212	2.0 MM	539	547	586	612	683	P-12983	1.6 MM	347	352	376	394	440
CW 2	2.0 MM	278	281	302	316	353	P-12986	1.6 MM	442	450	482	505	563
CW 2 70 M	2.0 MM	316	321	344	361	402	P-12986 A	1.6 MM	504	510	548	573	641
CW 2 A	2.0 MM	257	263	280	293	329	P-12986 A	2.0 MM	625	635	679	711	794
CW 2 E	2.0 MM	67	69	75	78	87	P-13011	1.6 MM	386	394	421	441	492
CW 2 F	2.0 MM	109	110	119	123	138	P-13012	1.6 MM	401	407	437	458	509
CW 2 G (Cleat)	Normal	690	701	751	786	877	P-13013	1.6 MM	530	540	578	605	675
CW 2 G ND (Cleat)	Normal	698	709	759	796	886	P-13142	1.6 MM	290	293	315	329	368
CW 2 H (Cleat)	Normal	597	607	651	681	758	P-13142	2.0 MM	347	352	376	394	440
CW 3	Normal	164	176	188	201	223	P-13237	1.6 MM	450	459	491	515	572
CW 3 70 M	Normal	201	203	216	231	255	P-13406	1.6 MM	749	762	815	854	951
CW 3 30 x 70 M	Normal	208	209	224	238	264	P-13640	2.0 MM	522	531	570	595	665
CW 3 A	Normal	133	134	144	153	169	P-13661	2.5 MM	1160	1180	1262	1321	1473
CW 3 A ND	Normal	254	256	274	292	322	P-13906	1.6 MM	354	360	385	403	449
CW 3 A B	Normal	215	217	233	249	274	P-13906	2.0 MM	428	436	466	488	545
CW 9	1.6 MM	133	135	145	151	169	P-13906 A	2.0 MM	555	565	605	633	707
CW RN 1	3.0 MM	1639	1666	1784	1868	2083	P-13906 D	2.0 MM	940	957	1024	1071	1194
CW RN 3	3.0 MM	1037	1053	1128	1182	1318	P-14275	Normal	373	380	405	425	475
CW OP 10744 L	2.0 MM	317	323	347	362	404	P-14508	1.6 MM	807	821	879	920	1025
CW OP 13212 L	2.0 MM	757	770	824	863	963	P-14509	1.6 MM	644	654	700	734	819
CW VR 13510	2.0 MM	947	963	1030	1079	1202	P-14689	1.6 MM	459	466	499	523	583
Prime Curtain Wall Series							P-14689	2.0 MM	563	572	612	642	714
ZG-2 F	STD	120	121	130	135	151	P-14689 A	1.6 MM	474	481	515	539	601
ZG-CW	4.0 MM	609	618	663	694	773	P-14691	1.6 MM	765	779	834	872	972
ZG-CW 1	2.5 MM	963	979	1047	1095	1222	P-14691 A	2.0 MM	1064	1082	1159	1214	1352
ZG-CW 2	2.5 MM	863	877	939	983	1095	P-14713	1.6 MM	379	385	413	432	482
ZG-CW 3	2.5 MM	791	803	860	901	1005	P-14713 A	Normal	215	218	235	247	274
ZG-CW 92	2.5 MM	771	785	840	879	981	P-14713 B	1.4 MM	200	203	216	227	252
ZG-OP 1	2.5 MM	331	337	361	379	421	P-14713 C	Normal	510	520	557	583	650
ZG-OP 2	2.5 MM	611	621	666	697	776	P-64 X 60	2.0 MM	548	557	596	623	695
P.N. Curtain Wall Series							P-7004 S	2.0 MM	140	144	153	161	179
PN-CW 1	2.5 MM	1454	1478	1582	1657	1848	P-9051	1.6 MM	75	76	81	86	95
PN-CW 2	2.0 MM	644	654	700	734	819	P-9888	2.0 MM	75	76	81	86	95
PN-CW 2 F	2.0 MM	111	112	121	126	140							
PN-CW 3	2.5 MM	185	188	202	211	235							
PN-CW 4	1.6 MM	122	123	133	139	154							
PN-CW 5	2.0 MM	901	917	981	1027	1146							

Effected From 10 th Feburary 2022

Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+	Section Name	Thickness (MM)	Dull Silver	Chm Gold	Brown Ral	Multi Sahara	Wood Sahara+
Pipes Series							Miscellaneous Sections						
D 60	Normal	185	188	201	211	235	AE - 01	2.0 MM	840	855	915	958	1068
D 60 A	Normal	231	235	251	264	293	AE - 02	Normal	100	102	109	113	126
Rect. Pipe 2" X 1"	Normal	205	208	223	233	260	AM 01	2.6 MM	830	844	903	945	1053
Rect. Pipe 2" X 1" W-S	1.6 MM	290	296	308	327	362	AM 02	1.8 MM	146	148	160	167	187
Rect. Pipe 2" X 1"	3.0 MM	459	466	500	523	583	BAAR 01	6.0 MM	5080	5165	5530	5790	6454
Rect. Pipe 2" X 5"	2.5 MM	1007	1024	1097	1148	1279	BAAR 02	3.5 MM	1404	1428	1529	1600	1784
Rect. Pipe 3" X 1"	Normal	265	268	287	300	335	BAAR 03	6.0 MM	1589	1616	1729	1812	2019
Rect. Pipe 3" X 1"	3.0 MM	652	663	709	742	827	BAAR 04	STD	1117	1136	1216	1273	1419
Rect. Pipe 3" X 1½"	Normal	305	308	330	345	385	BAAR E-2 151 X 15	STD	2903	2952	3158	3309	3688
Rect. Pipe 3" X 2"	3.0 MM	842	855	917	959	1070	BAAR Zig	6.0 MM	1559	1586	1698	1778	1981
Rect. Pipe 4" X 1X 3/4"	1.6 MM	487	494	529	553	618	BAAR-B 200 X 22	STD	4959	5042	5399	5651	6301
Rect. Pipe 4" X 1X 3/4"	2.0 MM	613	621	664	696	776	BAAR-C 150 X 15	STD	2590	2633	2819	2953	3291
Rect. Pipe 6" X 2½" 65 X 150	1.6 MM	814	828	887	928	1035	BAAR-E 151 X 15	STD	2590	2633	2819	2953	3291
Rect. Pipe 20 X 50 MM	3.0 MM	467	475	508	532	594	BAAR-E 151 X 20 2S	STD	3001	3051	3267	3420	3813
Rect. Pipe 100 X 20 MM	1.6 MM	456	464	497	520	580	BAAR-J 50 X 50	STD	2903	2952	3158	3309	3688
Rect. Pipe 100 X 25 MM	2.0 MM	544	553	592	620	690	L 26	Normal	249	252	270	282	315
Rect. Pipe 100 X 44 MM	1.6 MM	552	561	601	628	700	L 30	Normal	213	216	231	242	270
Rect. Pipe 100 X 50 MM	2.0 MM	666	676	725	758	845	SASA 001	Normal	236	240	257	269	300
Rect. Pipe 110 X 50 MM	2.0 MM	717	730	780	818	911	SASA 002	Normal	300	305	327	341	381
M- Pipe-1 100 X 150 MM	2.5 MM	1515	1540	1650	1727	1925	SASA 003	Normal	279	284	305	317	354
M- Pipe-2 100 X 150 MM	2.5 MM	1492	1518	1625	1701	1897	SASA 004	Normal	225	227	244	256	284
M- Pipe 6" X 4"	2.5 MM	1542	1568	1679	1757	1959	SASA 005	Normal	19	21	22	22	24
Sq. Pipe 1" X 1"	Normal	132	134	143	150	168	SASA 006	Normal	22	23	24	25	29
Sq. Pipe 1" X 1"	3.0 MM	302	307	329	344	383	SASA 007	1.6 MM	397	404	433	453	506
Sq. Pipe 1½" 1½" 38 MM	Normal	209	212	227	242	265	SASA 007	Normal	293	297	319	335	372
Sq. Pipe 2" X 2"	Normal	254	257	275	288	321	SASA 008	Normal	335	339	363	381	425
Sq. Pipe 2" X 2"	2.5 MM	552	561	601	628	700	SASA 009	Normal	279	284	305	317	354
Sq. Pipe 2" X 2"	3.0 MM	650	660	707	740	824	SASA 010	2.0 MM	635	646	692	725	807
Sq. Pipe 1¾" 1¾" 32 MM	Normal	176	179	192	201	225	SASA 011	1.6 MM	418	425	454	476	530
Sq. Pipe ¾" X ¾" 19 MM	Normal	116	118	127	131	146	SASA 012	Normal	127	130	138	145	161
Round Pipe D-1 "	1.0 MM	90	93	99	104	116	SASA 013	1.4 MM	215	218	235	247	274
Round Pipe D-3 "	3.8 MM	954	969	1038	1087	1213	SASA 014	1.6 MM	706	717	767	803	895
Round Pipe D-16 MM	1.5 MM	76	78	82	87	97	SASA 015	1.6 MM	564	573	613	643	717
Round Pipe D-18.8 MM	1.4 MM	83	86	91	97	106	CG-AG1 24.5 x 25.5	Normal	57	58	63	65	71
Round Pipe D-22 MM	2.0 MM	140	144	153	161	179	CG-U1	1.6 MM	138	140	150	158	176
Round Pipe D-30 MM	2.0 MM	210	214	228	239	267	CG-U2	1.6 MM	64	65	69	72	81
Round Pipe D-36 MM	2.0 MM	249	252	271	284	316	U 1.5 MM	2.0 MM	209	212	227	238	266
Round Pipe D-40 MM	2.0 MM	291	295	316	331	370	U 13 MM	Normal	45	47	50	54	58
Round Pipe D-41 MM	1.5 MM	212	216	232	242	271	U BE 01	1.6 MM	635	646	692	725	807
Round Pipe D-50 MM	1.8 MM	305	309	331	347	386	U BE 02	1.6 MM	897	911	974	1022	1138
Angles Series							U 16 X 19	1.6 MM	91	93	100	104	116
Angle 1 X 1	3.0 MM	156	158	169	177	198	U 25 X 12	Normal	65	66	70	75	82
Angle 16 X 16	1.5 MM	51	51	56	58	65	U Per	Normal	99	100	107	112	125
Angle 1½" 1½" 38 MM	3.0 MM	238	242	259	271	303							
Angle 1½" X 3	5.0 MM	620	629	674	706	786							
Angle 1¾" 1¾" 32 MM	3.0 MM	198	201	215	225	251							
Angle 1¾" 1¾" 32 MM	5.0 MM	284	289	308	323	361							
Angle 40 X 40	5.0 MM	433	438	469	491	548							
Angle 76 X 56	STD	782	796	852	891	993							