

Effected From 6 th January 2023

Thickness Tolerance  $\pm 5\%$

Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood	Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood
<b>Box Sliding Window Series</b>							<b>Box Sliding Window Series</b>						
AA 23	1.6 MM	445	450	482	504	563	DC 30 F	Normal	486	491	525	550	614
AA 23	2.0 MM	546	553	592	619	691	DC 30 F	1.6 MM	585	593	635	664	741
AA 28	1.6 MM	492	499	534	559	624	DC 30 F	2.0 MM	687	695	744	778	869
AA 28	2.0 MM	606	614	657	688	768	DC 30 H	1.6 MM	585	593	635	664	741
B 6	Normal	88	89	95	100	111	DC 30 J	Normal	484	490	524	549	613
D 31	Normal	123	124	133	139	155	DC 30 J	1.6 MM	599	606	648	679	758
D 31	1.6 MM	157	158	169	177	198	DC 30 L	1.6 MM	543	552	593	619	691
DC 26	Normal	499	506	541	567	633	DC 30 L	2.0 MM	661	671	718	754	838
DC 26 A	Normal	543	549	587	615	686	M 23	Normal	228	230	246	258	288
DC 26 A	1.6 MM	669	677	724	758	846	M 23	1.6 MM	287	290	310	325	363
DC 26 A	2.0 MM	818	828	886	927	1035	M 23	2.0 MM	349	354	379	396	443
DC 26 AK	Normal	548	554	592	620	691	M 23 A	Normal	235	238	255	267	298
DC 26 AK	1.6 MM	674	682	729	763	851	M 23 A	1.6 MM	309	312	334	349	390
DC 26 AK	2.0 MM	823	833	891	932	1040	M 23 A	2.0 MM	376	380	407	426	475
DC 26 B	Normal	466	472	505	529	590	M 23 B	2.0 MM	331	334	357	374	418
DC 26 B	1.6 MM	579	586	627	656	733	M 23 F	1.6 MM	347	352	377	395	440
DC 26 B	2.0 MM	687	695	744	778	869	M 24	Normal	269	273	292	306	341
DC 26 BA	Normal	487	492	526	551	615	M 24	1.6 MM	310	313	335	351	391
DC 26 BA	1.6 MM	615	622	666	697	778	M 24	2.0 MM	375	379	406	424	474
DC 26 BA	2.0 MM	726	735	786	823	919	M 24 A	Normal	239	242	259	271	303
DC 26 C	Normal	487	492	526	551	615	M 24 A	1.6 MM	304	307	328	344	384
DC 26 C	1.6 MM	615	622	666	697	778	M 24 A	2.0 MM	365	370	396	414	463
DC 26 C	2.0 MM	726	735	786	823	919	M 24 B	2.0 MM	348	351	376	393	439
DC 26 E	Normal	513	520	556	582	650	M 24 C	2.0 MM	332	338	362	378	421
DC 26 F	Normal	565	572	612	641	715	M 26	Normal	375	379	406	424	474
DC 26 F	1.6 MM	675	683	731	765	854	M 26	1.6 MM	457	462	494	517	578
DC 26 F	2.0 MM	794	803	859	899	1004	M 26	2.0 MM	538	543	581	608	679
DC 26 H	1.6 MM	675	683	731	765	854	M 26 F	Normal	437	443	474	496	554
DC 26 J	Normal	561	568	608	636	710	M 26 F	1.6 MM	519	526	563	589	658
DC 26 J	1.6 MM	692	701	750	785	876	M 26 F	2.0 MM	614	621	664	696	776
DC 26 L	1.6 MM	637	647	692	725	807	M 28	Normal	276	280	300	314	350
DC 26 L	2.0 MM	791	805	861	902	1007	M 28	1.6 MM	338	341	365	382	426
DC 30	Normal	440	445	476	498	556	M 28	2.0 MM	401	406	434	455	508
DC 30 A	Normal	469	475	508	532	594	M 28 A	Normal	282	286	306	320	358
DC 30 A	1.6 MM	579	586	627	656	733	M 28 A	1.6 MM	349	354	379	396	443
DC 30 A	2.0 MM	739	747	799	837	934	M 28 A	2.0 MM	414	418	447	468	523
DC 30 AK	Normal	474	480	513	537	599	M 28 B	2.0 MM	381	386	413	432	483
DC 30 AK	1.6 MM	584	591	632	661	738	M 30	Normal	335	339	363	380	424
DC 30 AK	2.0 MM	744	752	804	842	939	M 30	1.6 MM	392	397	425	445	496
DC 30 B	Normal	397	401	429	449	501	M 30	2.0 MM	461	466	499	522	583
DC 30 B	1.6 MM	489	495	530	554	619	M 30 F	Normal	393	398	426	446	498
DC 30 B	2.0 MM	579	586	627	656	733	M 30 F	1.6 MM	454	460	492	515	575
DC 30 BA	Normal	421	427	457	478	534	M 30 F	2.0 MM	538	543	581	608	679
DC 30 BA	1.6 MM	525	532	569	596	665	<b>AL Series</b>						
DC 30 BA	2.0 MM	621	628	672	703	785	AL 32	Normal	66	67	72	75	84
DC 30 C	Normal	421	427	457	478	534	AL 33	1.6 MM	538	543	581	608	679
DC 30 C	1.6 MM	525	532	569	596	665	AL 33	2.0 MM	670	679	727	760	849
DC 30 C	2.0 MM	621	628	672	703	785	AL 35	1.6 MM	386	391	418	438	489
DC 30 E	Normal	440	445	476	498	556	AL 35	2.0 MM	468	474	507	531	593
<b>VIP Series</b>							AL 35 A	1.6 MM	439	444	475	497	555
W 24	1.6 MM	374	380	407	425	476	AL 58	2.0 MM	395	400	428	448	500
W 26	1.6 MM	463	470	505	528	587	AL D 10	1.6 MM	468	474	507	531	593
W 28	1.6 MM	336	340	364	382	425	AL D 10 A	1.6 MM	443	449	480	503	561
<b>Tilt &amp; Turn Windows Series</b>							AL D 10 A	2.0 MM	532	540	580	607	675
TT 41 A	1.6 MM	128	130	140	144	161	AL D 20	1.6 MM	343	348	372	390	435
TT 42 A	Normal	106	107	114	120	133	<b>Hinges Series</b>						
TT 45 A	2.0 MM	622	630	675	710	789	D 57	STD	489	495	530	554	619
<b>Heat Sink Series</b>							D 58	STD	327	331	354	371	414
Heat Sink 125.3 x 49.7	Normal	3039	3091	3308	3463	3860	DG 57	STD	584	591	632	662	739
Heat Sink 61.8 x 32	Normal	1210	1230	1317	1378	1538	DG 58	STD	493	502	537	560	626

Effected From 6 th January 2023  
Thickness Tolerance ± 5%

Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood	Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood
<b>Deluxe Fixed Glazing Series</b>							<b>Deluxe Swing Doors Series</b>						
D 10	Normal	332	336	360	376	420	D 32	Normal	68	69	74	77	86
D 10	1.6 MM	416	422	452	473	528	D 32 A	Normal	121	123	132	138	154
D 10	2.0 MM	513	520	556	582	650	D 32 B	Normal	126	128	137	143	160
D 10 A	1.6 MM	498	521	558	584	658	D 32 C	Normal	148	149	159	167	186
D 10 A	2.0 MM	568	575	615	644	719	D 32 D	Normal	56	56	62	64	72
D 11	Normal	148	150	161	168	188	D 32 E	Normal	54	54	59	62	69
D 14	Normal	228	230	246	258	288	D 32 F	Normal	55	55	61	63	70
D 15	Normal	146	148	158	166	185	D 32 G	Normal	56	56	62	64	72
D 15 A	Normal	97	99	106	112	122	D 33	Normal	372	377	403	422	471
D 15 B	Normal	134	136	146	154	171	D 33	1.6 MM	495	501	536	561	626
D 16	Normal	381	386	413	432	483	D 33	2.0 MM	603	610	653	683	763
D 16	1.6 MM	440	445	476	498	556	D 34	Normal	130	136	146	154	174
D 16	2.0 MM	535	542	580	607	678	D 34 A	Normal	77	78	86	89	99
D 16 A	1.6 MM	395	399	429	451	502	D 35	Normal	318	321	343	360	401
D 18	Normal	405	410	439	459	513	D 35	1.6 MM	407	412	441	461	515
D 18	1.6 MM	525	532	569	596	665	D 35	2.0 MM	491	497	532	557	621
D 18	2.0 MM	655	664	710	744	830	D 37	Normal	283	289	308	322	362
D 20	2.0 MM	425	431	461	483	539	<b>Box &amp; Operable Door Window Series</b>						
<b>Deluxe Sliding Window Series</b>							D 42	Normal	206	208	223	233	260
D 22	Normal	191	193	207	216	241	D 42 F	Normal	262	266	285	298	333
D 23	Normal	288	291	311	326	364	D 45	Normal	313	317	339	355	396
D 24	Normal	286	289	309	324	361	D 45	2.0 MM	510	517	553	579	646
D 25	Normal	224	228	244	255	285	D 45 A	Normal	276	280	300	314	350
D 26	Normal	301	304	325	340	380	D 45 A	1.6 MM	349	354	379	396	443
D 26 A	Normal	327	331	354	371	414	D 45 A	2.0 MM	420	424	454	475	530
D 27	Normal	338	341	365	382	426	D 45 B	1.6 MM	381	386	413	432	483
D 28	Normal	235	237	254	265	296	D 51	Normal	337	344	360	365	424
D 28 A	Normal	310	313	335	351	391	D 51	1.6 MM	439	448	479	499	558
D 30	Normal	282	286	306	320	358	D 51	2.0 MM	521	529	567	593	661
<b>Strips &amp; Scarting Panel Series</b>							D 51 A	Normal	291	295	316	330	369
D 61	Normal	331	335	358	375	419	D 51 A	1.6 MM	360	364	389	408	455
Strip-1 4.5"	Normal	212	214	229	240	268	D 51 A	2.0 MM	432	438	469	491	548
Strip 2"	2.0 MM	112	113	120	125	141	D 51 B	1.6 MM	396	402	432	452	503
Strip-3 6.0"	Normal	279	282	302	316	353	D 51 F	Normal	340	344	368	385	430
Strip-3 3 X 3/4	3.5 MM	418	425	455	477	531	D 51 F	1.6 MM	423	428	458	479	535
Strip FS-160 - ST	Normal	187	189	204	213	237	D 51 F	2.0 MM	509	516	552	578	645
Strip-150 6.0"	2.0 MM	340	347	371	389	433	D 52	Normal	279	282	302	316	353
<b>Economy Fixed Glazing Series</b>							<b>Fix &amp; Operable Door Frame Series</b>						
E 10	Normal	262	266	285	298	333	D 45 C	Normal	467	473	506	530	591
E 11	Normal	105	106	113	119	133	D 51 C	Normal	528	534	571	598	668
E 14	Normal	190	192	205	215	240	D 51 C	1.6 MM	669	677	724	758	846
E 15	Normal	118	119	127	133	149	D 51 C	2.0 MM	796	807	863	904	1009
E 16	Normal	283	286	306	320	358	D 54 C	Normal	449	454	486	508	568
E 18	Normal	356	361	386	404	451	<b>Netting Series</b>						
<b>Economy Sliding Window Series</b>							D 29	Normal	176	178	190	199	223
EF 22	Normal	147	148	158	166	185	D 29 A	Normal	213	215	230	241	269
EF 24	Normal	250	252	270	282	315	D 29 B	Normal	110	111	119	124	139
EF 25	Normal	192	194	208	217	243	D 29 C	Normal	91	94	100	106	118
EF 26	Normal	250	252	270	282	315	D 29 D	Normal	187	190	203	213	238
EF 27	Normal	250	252	270	282	315	D 29 E	2.0 MM	286	293	312	327	364
EF 28	Normal	164	166	178	186	208	D 29 H	Normal	125	128	135	143	160
EF 30	Normal	191	193	207	216	241	DG 29	Normal	225	229	245	256	286
<b>Kitchen Series</b>							DG 29	1.6 MM	260	264	283	296	330
K.T.1	Normal	180	183	196	205	229	DG 29	2.0 MM	306	309	332	348	388
K.T.2	Normal	199	202	216	226	253	DG 29 3-T	1.6 MM	374	380	407	425	476
K.T.3	Normal	222	224	240	251	280	<b>Textile Series</b>						
K.T.4	Normal	203	207	221	232	259	D 29 G	Normal	209	212	229	238	266
K.T.5	Normal	218	221	236	248	276	D PIPE	3.5 MM	1122	1139	1219	1276	1423
K.T.6	Normal	199	202	216	226	253	Scraper / Wiper 01	Normal	1175	1196	1280	1340	1494

Effected From 6 th January 2023

Thickness Tolerance  $\pm$  5%

Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood	Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood
<b>Double Glaze Series</b>							<b>Fix &amp; Openable Door Window Series</b>						
DG 23	1.6 MM	403	408	437	457	510	D 40	Normal	309	312	334	349	390
DG 23	2.0 MM	479	484	518	542	605	D 40 A	Normal	286	293	312	327	364
DG 23 A	1.6 MM	445	450	482	504	563	D 40 A	2.0 MM	409	417	446	466	521
DG 23 A	2.0 MM	525	532	569	596	665	D 41	Normal	118	119	127	133	149
DG 23 B	2.0 MM	653	663	711	744	829	D 41 A	Normal	95	96	103	108	120
DG 23 D	1.6 MM	362	366	393	413	459	D 41 B	Normal	65	68	72	77	87
DG 23 H	1.5 MM	364	371	396	415	463	D 43	Normal	194	198	212	221	248
DG 23 P	1.5 MM	374	380	407	425	476	D 44	Normal	255	259	277	290	324
DG 23 P	2.0 MM	540	550	587	617	688	D 44 A	Normal	313	317	339	355	396
DG 25	1.6 MM	109	120	130	144	163	D 46	Normal	554	561	600	628	701
DG 25 F	1.6 MM	141	143	154	160	178	D 46	2.0 MM	843	852	912	954	1065
DG 26	1.6 MM	720	729	780	816	911	D 48	2.0 MM	759	769	823	861	961
DG 26	2.0 MM	862	873	934	978	1091	D 48 HD	2.0 MM	1060	1073	1148	1202	1341
DG 26 A	2.0 MM	1003	1016	1087	1138	1270	D 48 A	Normal	371	376	402	421	470
DG 26 F	1.6 MM	786	796	852	892	995	D 48 A	1.4 MM	424	429	459	480	536
DG 26 P	1.5 MM	661	671	718	754	838	D 48 A	2.0 MM	579	586	627	656	733
DG 26 P	2.0 MM	959	975	1043	1092	1219	D 48 B	1.6 MM	323	327	350	366	409
DG 28	1.6 MM	167	174	184	194	230	D 48 D	STD	686	697	746	782	871
DG 30	Normal	141	143	154	160	178	D 49	Normal	130	131	141	146	163
DG 30 A	Normal	114	116	124	131	144	D 49 B	Normal	171	174	186	194	216
DG 31	1.5 MM	206	209	224	235	262	D 50	Normal	356	360	385	403	450
DG 32	1.6 MM	76	77	84	87	97	D 50	1.6 MM	453	459	491	514	574
DG 33	1.5 MM	581	587	629	659	736	D 50	2.0 MM	547	554	593	620	693
DG 41	Normal	118	119	127	133	149	D 50 A	Normal	316	319	341	357	399
DG 41 E	Normal	162	163	174	183	204	D 50 A	1.6 MM	376	380	407	426	475
DG 45	1.6 MM	479	486	521	546	608	D 50 A	2.0 MM	449	454	486	508	568
DG 50	1.6 MM	527	533	570	597	666	D 50 B	Normal	443	449	480	503	561
DG 51 A	1.4 MM	427	436	466	487	542	D 50 B	1.6 MM	568	575	615	644	719
DG 51 A	2.0 MM	563	570	610	638	713	D 50 B	2.0 MM	692	701	750	785	876
DG 51 D	1.6 MM	812	821	878	920	1026	D 54	Normal	310	319	339	355	398
DG 51 D	2.0 MM	939	950	1017	1064	1188	D 54	2.0 MM	413	419	449	469	524
DG 51 E	2.0 MM	613	623	667	699	778	D 54 A	Normal	255	258	276	289	323
DG 59	1.5 MM	527	533	570	597	666	D 54 A	1.6 MM	311	314	336	352	393
<b>Door Handle Series</b>							D 54 A	2.0 MM	372	377	403	422	471
H 7	Normal	118	119	128	133	149	D 54 F	Normal	313	317	339	355	396
D 38	2.0 MM	514	520	556	582	650	D 54 F	1.6 MM	375	379	406	424	474
D 38 B	2.0 MM	364	369	395	413	461	D 54 F	2.0 MM	451	455	487	510	569
D 38 E	2.0 MM	502	510	547	572	638	D 54 H	1.6 MM	375	379	406	424	474
D 38 F	STD	418	425	455	477	531	D 59	Normal	346	349	373	391	436
<b>EC Series</b>							D 59	1.6 MM	398	402	430	450	503
EC 23	Normal	184	186	199	208	233	D 59	2.0 MM	470	476	509	533	595
EC 24	Normal	222	224	240	251	280	D 59 A	Normal	353	357	382	400	446
EC 28	Normal	235	237	254	265	296	D 59 A	1.6 MM	429	434	464	486	543
EC 26 B	Normal	413	417	447	466	521	D 59 A	2.0 MM	502	507	542	568	634
EC 30 B	Normal	355	360	385	403	450	D 59 B	Normal	338	344	366	384	428
EC 26 F	Normal	468	474	507	531	593	<b>Louvers Series</b>						
EC 30 F	Normal	409	414	443	464	518	Louver 39	Normal	143	145	155	162	181
<b>Loom Series</b>							Louver 39	1.6 MM	176	178	190	199	223
Loom A	Normal	243	246	263	276	307	Louver 39	2.0 MM	206	209	224	235	262
Loom B	Normal	156	158	169	177	198	Louver 39 4"	2.0 MM	298	304	326	340	380
Loom C	Normal	322	327	351	369	409	Louver 39 4.5"	2.0 MM	366	374	399	419	466
Loom D	Normal	354	362	388	406	452	Louver - HT	1.6 MM	230	233	250	262	293
Loom E	Normal	380	386	414	433	482	P-14713	1.6 MM	417	424	454	475	530
Loom G	Normal	549	557	596	625	697	P-14713 A	Normal	237	240	259	272	301
Loom T-2	Normal	370	377	405	422	470	P-14713 C	Normal	561	572	613	641	715
							G - 7	Normal	163	166	178	187	209

Effected From 6 th January 2023

Thickness Tolerance  $\pm$  5%

Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood	Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood
<b>Curtain Wall Series</b>							<b>Prime Series</b>						
CW 001 A LN	2.0 MM	688	699	747	783	873	P-08009	1.6 MM	530	538	575	603	672
CW 1	2.0 MM	881	891	953	998	1114	P-08104	Normal	285	290	310	326	363
CW 1 OL	2.5 MM	1210	1230	1317	1378	1538	P-08104	1.6 MM	344	349	373	392	436
CW 1 001 LN	2.0 MM	655	666	712	745	832	P-08105	Normal	330	336	360	375	419
CW 1 A	2.0 MM	692	699	748	784	875	P-08105	1.6 MM	387	393	421	441	492
CW 1 A LN	2.0 MM	655	666	712	745	832	P-08221	1.6 MM	600	608	652	683	761
CW 1 B	2.5 MM	1478	1487	1581	1661	1860	P-09718	2.5 MM	290	295	316	330	370
CW 1 B	6.0 MM	2685	2729	2923	3058	3412	P-10015	1.6 MM	384	389	417	437	486
CW 1 B 70 M	2.5 MM	1398	1419	1520	1592	1773	P-10023	STD	97	99	107	112	123
CW 1 B C	2.5 MM	1359	1383	1478	1549	1727	P-10178	1.6 MM	185	187	201	210	233
CW 1 B ND	2.5 MM	1449	1487	1583	1661	1860	P-10371	Normal	124	125	135	143	158
CW 1 B S	2.0 MM	1038	1056	1131	1185	1320	P-10377	Normal	116	117	125	133	147
CW 1 B SN	2.5 MM	1349	1372	1471	1539	1715	P-10485	1.6 MM	344	349	373	392	436
CW 1 C	2.0 MM	636	646	691	725	813	P-10486	Normal	105	107	113	117	132
CW 1 D	2.0 MM	827	842	901	944	1052	P-10486 A	Normal	98	100	108	113	124
CW 1 L ND	2.0 MM	919	932	998	1045	1165	P-10492	Normal	206	209	223	233	260
CW 1 LN	2.0 MM	923	938	1007	1053	1172	P-10765	Normal	149	152	162	169	188
CW 1 S	2.0 MM	705	716	768	804	895	P-11218	2.0 MM	441	448	481	504	560
CW 1 S-CL	3.0 MM	657	668	716	749	834	P-11219	1.6 MM	139	141	151	158	176
CW 10	1.6 MM	387	400	417	433	486	P-11321	Normal	97	99	107	112	123
CW 10744	2.0 MM	336	340	364	382	425	P-12745	Normal	180	184	195	204	228
CW 13212	2.0 MM	593	602	645	673	751	P-12983	1.6 MM	382	387	414	433	484
CW 2	2.0 MM	306	309	332	348	388	P-12986	1.6 MM	486	495	530	556	619
CW 2 70 M	2.0 MM	348	353	378	397	442	P-12986 A	1.6 MM	554	561	603	630	705
CW 2 A	2.0 MM	283	289	308	322	362	P-12986 A	2.0 MM	688	699	747	782	873
CW 2 E	2.0 MM	74	76	83	86	96	P-13011	1.6 MM	425	433	463	485	541
CW 2 F	2.0 MM	120	121	131	135	152	P-13012	1.6 MM	441	448	481	504	560
CW 2 G (Cleat)	Normal	759	771	826	865	965	P-13013	1.6 MM	583	594	636	666	743
CW 2 G ND (Cleat)	Normal	768	780	835	876	975	P-13142	1.6 MM	319	322	347	362	405
CW 2 H (Cleat)	Normal	657	668	716	749	834	P-13142	2.0 MM	382	387	414	433	484
CW 3	Normal	185	194	207	221	245	P-13237	1.6 MM	495	505	540	567	629
CW 3 70 M	Normal	221	223	238	254	281	P-13406	1.6 MM	824	838	897	939	1046
CW 3 30 x 70 M	Normal	229	230	246	262	290	P-13640	2.0 MM	574	584	627	655	732
CW 3 A	Normal	146	147	158	168	186	P-13661	2.5 MM	1276	1298	1388	1453	1620
CW 3 A ND	Normal	279	282	301	321	354	P-13906	1.6 MM	389	396	424	443	494
CW 3 A B	Normal	237	239	256	274	301	P-13906	2.0 MM	471	480	513	537	600
CW 9	1.6 MM	184	187	200	210	239	P-13906 A	2.0 MM	611	622	666	696	778
CW RN 1	3.0 MM	1803	1833	1962	2055	2291	P-13906 D	2.0 MM	1034	1053	1126	1178	1313
CW RN 3	3.0 MM	1141	1158	1241	1300	1450	P-14275	Normal	410	418	446	468	523
CW OP 10744 L	2.0 MM	349	355	382	398	444	P-14508	1.6 MM	888	903	967	1012	1128
CW OP 13212 L	2.0 MM	833	847	906	949	1059	P-14509	1.6 MM	708	719	770	807	901
CW VR 13510	2.0 MM	1042	1059	1133	1187	1322	P-14689	1.6 MM	505	513	549	575	641
<b>Prime Curtain Wall Series</b>							P-14689	2.0 MM	619	629	673	706	785
ZG-2 F	STD	132	133	143	149	166	P-14689 A	1.6 MM	521	529	567	593	661
ZG-CW	4.0 MM	670	680	729	763	850	P-14691	1.6 MM	842	857	917	959	1069
ZG-CW 1	2.5 MM	1059	1077	1152	1205	1344	P-14691 A	2.0 MM	1170	1190	1275	1335	1487
ZG-CW 2	2.5 MM	949	965	1033	1081	1205	P-14713	1.6 MM	417	424	454	475	530
ZG-CW 3	2.5 MM	870	883	946	991	1106	P-14713 A	Normal	237	240	259	272	301
ZG-CW 92	2.5 MM	848	864	924	967	1079	P-14713 B	1.4 MM	220	223	238	250	277
ZG-OP 1	2.5 MM	364	371	397	417	463	P-14713 C	Normal	561	572	613	641	715
ZG-OP 2	2.5 MM	672	683	733	767	854	P-64 X 60	2.0 MM	603	613	656	685	765
<b>P.N. Curtain Wall Series</b>							P-7004 S	2.0 MM	154	158	168	177	197
PN-CW 1	2.5 MM	1599	1626	1740	1823	2033	P-9051	1.6 MM	83	84	89	95	105
PN-CW 2	2.0 MM	708	719	770	807	901	P-9888	2.0 MM	83	84	89	95	105
PN-CW 2 F	2.0 MM	122	123	133	139	154							
PN-CW 3	2.5 MM	204	207	222	232	259							
PN-CW 4	1.6 MM	134	135	146	153	169							
PN-CW 5	2.0 MM	991	1009	1079	1130	1261							

Effected From 6 th January 2023

Thickness Tolerance ± 5%

Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood	Section Name	Thickness (MM)	Dull Silver	Chm/Ral Gold	Brown Sahara	Multi Black	Wood
<b>Pipes Series</b>							<b>Miscellaneous Sections</b>						
D 60	Normal	203	207	221	232	259	AE - 01	2.0 MM	924	941	1007	1054	1175
D 60 A	Normal	254	259	276	290	322	AE - 02	Normal	110	112	120	124	139
Rect. Pipe 2" X 1"	Normal	225	229	245	256	286	AM 01	2.6 MM	913	928	993	1040	1158
Rect. Pipe 2" X 1" W-S	1.6 MM	319	326	339	360	398	AM 02	1.8 MM	161	163	176	184	206
Rect. Pipe 2" X 1"	3.0 MM	505	513	550	575	641	BAAR 01	6.0 MM	5588	5682	6083	6369	7099
Rect. Pipe 2" X 5"	2.5 MM	1108	1126	1207	1263	1407	BAAR 02	3.5 MM	1544	1571	1682	1760	1962
Rect. Pipe 3" X 1"	Normal	291	295	316	330	369	BAAR 03	6.0 MM	1748	1778	1902	1993	2221
Rect. Pipe 3" X 1"	3.0 MM	717	729	780	816	910	BAAR 04	STD	1229	1250	1338	1400	1561
Rect. Pipe 3" X 1½"	Normal	335	339	363	380	424	BAAR E-2 151 X 15	STD	3193	3247	3474	3640	4057
Rect. Pipe 3" X 2"	3.0 MM	926	941	1009	1055	1177	BAAR Zig	6.0 MM	1715	1745	1868	1956	2179
Rect. Pipe 4" X 1X 3/4"	1.6 MM	560	565	605	633	706	BAAR-B 200 X 22	STD	5455	5546	5939	6216	6931
Rect. Pipe 4" X 1X 3/4"	2.0 MM	674	683	730	766	854	BAAR-C 150 X 15	STD	2849	2896	3101	3248	3620
Rect. Pipe 6" X 2x½" 65 X 150	1.6 MM	895	911	976	1021	1139	BAAR-E 151 X 15	STD	2849	2896	3101	3248	3620
Rect. Pipe 20 X 50 MM	3.0 MM	514	523	559	585	653	BAAR-E 151 X 20 2S	STD	3301	3356	3594	3762	4194
Rect. Pipe 100 X 20 MM	1.6 MM	502	510	547	572	638	BAAR-J 50 X 50	STD	3193	3247	3474	3640	4057
Rect. Pipe 100 X 25 MM	2.0 MM	598	608	651	682	759	L 26	Normal	274	277	297	310	347
Rect. Pipe 100 X 44 MM	1.6 MM	607	617	661	691	770	L 30	Normal	234	238	254	266	297
Rect. Pipe 100 X 50 MM	2.0 MM	733	744	798	834	930	SASA 001	Normal	260	264	283	296	330
Rect. Pipe 110 X 50 MM	2.0 MM	789	803	858	900	1002	SASA 002	Normal	330	336	360	375	419
M- Pipe-1 100 X 150 MM	2.5 MM	1667	1694	1815	1900	2118	SASA 003	Normal	307	312	336	349	389
M- Pipe-2 100 X 150 MM	2.5 MM	1641	1670	1788	1871	2087	SASA 004	Normal	248	250	268	282	312
M- Pipe 6" X 4"	2.5 MM	1696	1725	1847	1933	2155	SASA 005	Normal	21	23	24	24	26
Sq. Pipe 1" X 1"	Normal	146	148	158	166	185	SASA 006	Normal	24	25	26	28	32
Sq. Pipe 1" X 1"	3.0 MM	332	338	362	378	421	SASA 007	1.6 MM	437	444	476	498	557
Sq. Pipe 1½ X 1½" 38 MM	Normal	225	229	245	256	286	SASA 007	Normal	322	327	351	369	409
Sq. Pipe 2" X 2"	Normal	302	306	327	343	383	SASA 008	Normal	369	373	399	419	468
Sq. Pipe 2" X 2"	2.5 MM	607	617	661	691	770	SASA 009	Normal	307	312	336	349	389
Sq. Pipe 2" X 2"	3.0 MM	715	726	778	814	906	SASA 010	2.0 MM	699	711	761	798	888
Sq. Pipe 1½ X 1½" 32 MM	Normal	195	198	212	222	248	SASA 011	1.6 MM	460	468	499	524	583
Sq. Pipe ¾ X ¾" 19 MM	Normal	128	130	140	144	161	SASA 012	Normal	140	143	152	160	177
Round Pipe D-1 "	1.0 MM	99	102	109	114	128	SASA 013	1.4 MM	237	240	259	272	301
Round Pipe D-3 "	3.8 MM	1049	1066	1142	1196	1334	SASA 014	1.6 MM	777	789	844	883	985
Round Pipe D-16 MM	1.5 MM	84	86	90	96	107	SASA 015	1.6 MM	620	630	674	707	789
Round Pipe D-18.8 MM	1.4 MM	91	95	100	107	117	CG-AG1 24.5 x 25.5	Normal	63	64	69	72	78
Round Pipe D-22 MM	2.0 MM	154	158	168	177	197	CG-U1	1.6 MM	152	154	165	174	194
Round Pipe D-30 MM	2.0 MM	231	235	251	263	294	CG-U2	1.6 MM	70	72	76	79	89
Round Pipe D-36 MM	2.0 MM	274	277	298	312	348	U 1.5 MM	2.0 MM	230	233	250	262	293
Round Pipe D-40 MM	2.0 MM	320	325	348	364	407	U 13 MM	Normal	50	52	55	59	64
Round Pipe D-41 MM	1.5 MM	233	238	255	266	298	U BE 01	1.6 MM	699	711	761	798	888
Round Pipe D-50 MM	1.8 MM	336	340	364	382	425	U BE 02	1.6 MM	987	1002	1071	1124	1252
<b>Angles Series</b>							U 16 X 19	1.6 MM	103	104	111	116	130
Angle 1 X 1	3.0 MM	172	173	185	194	216	U 25 X 12	Normal	72	73	77	83	90
Angle 16 X 16	1.5 MM	56	56	62	64	72	U Per	Normal	109	110	118	123	138
Angle 1½ X 1½" 38 MM	3.0 MM	262	266	285	298	333							
Angle 1½ X 3	5.0 MM	682	692	741	777	865							
Angle 1¾ X 1¾" 32 MM	3.0 MM	218	221	236	248	276							
Angle 1¾ X 1¾" 32 MM	5.0 MM	377	381	408	427	476							
Angle 40 X 40	5.0 MM	476	482	516	540	603							
Angle 76 X 56	STD	860	876	937	980	1092							