

Effected From 01st January 2026

Thickness Tolerance $\pm 5\%$

Subject we To Change Without Any Prior Notice

PAI/PL/2601001R-0

Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood	Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood
Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +	Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +
Box Sliding Window Series							Box Sliding Window Series						
AA 23	1.6 MM	577	579	620	648	723	M 24	2.0 MM	498	501	536	560	626
AA 23	Normal	440	442	473	495	552	M 24 A	Normal	305	308	330	344	385
AA 23	2.0 MM	712	714	764	800	893	M 24 A	1.6 MM	389	391	419	439	490
AA 28	1.6 MM	633	635	679	711	794	M 24 A	2.0 MM	471	473	506	529	591
AA 28	2.0 MM	778	781	836	874	976	M 24 B	2.0 MM	445	448	478	502	560
B 6	Normal	112	114	121	127	142	M 24 C	2.0 MM	433	440	471	492	549
D 31	Normal	157	158	169	176	197	M 24 F	Normal	225	227	243	255	284
D 31	1.6 MM	201	202	216	226	252	M 26	Normal	481	483	517	541	604
D 31 A	Normal	209	211	225	236	263	M 26	1.6 MM	585	588	628	658	734
DC 26	Normal	642	644	689	721	805	M 26	2.0 MM	689	691	740	774	864
DC 26 A	Normal	697	699	747	783	874	M 26 F	Normal	561	563	603	631	704
DC 26 A	1.6 MM	860	862	923	966	1,078	M 26 F	1.6 MM	669	671	719	752	839
DC 26 A	2.0 MM	1,052	1,054	1,128	1,181	1,317	M 26 F	2.0 MM	788	790	846	885	988
DC 26 AK	Normal	697	699	747	783	874	M 28	Normal	354	356	381	399	445
DC 26 AK	1.6 MM	860	862	923	966	1,078	M 28	1.6 MM	440	442	473	495	552
DC 26 AK	2.0 MM	1,052	1,054	1,128	1,181	1,317	M 28	2.0 MM	533	535	572	599	668
DC 26 B	Normal	599	601	643	673	751	M 28 A	Normal	361	363	388	406	453
DC 26 B	1.6 MM	744	746	798	836	933	M 28 A	1.6 MM	455	458	490	513	572
DC 26 B	2.0 MM	882	884	946	990	1,106	M 28 A	2.0 MM	530	533	570	596	666
DC 26 BA	Normal	641	643	688	720	804	M 28 B	2.0 MM	501	503	538	563	628
DC 26 BA	1.6 MM	789	792	847	886	990	M 30	Normal	430	432	462	484	540
DC 26 BA	2.0 MM	943	945	1,011	1,058	1,181	M 30	1.6 MM	503	505	540	566	632
DC 26 C	Normal	641	643	688	720	804	M 30	2.0 MM	591	593	635	665	742
DC 26 C	1.6 MM	789	792	847	886	990	M 30 F	Normal	505	507	542	568	634
DC 26 C	2.0 MM	943	945	1,011	1,058	1,181	M 30 F	1.6 MM	588	590	631	660	738
DC 26 E	Normal	659	662	708	741	827	M 30 F	2.0 MM	689	691	740	774	864
DC 26 F	Normal	727	729	779	816	911	Deluxe Fixed Glazing Series						
DC 26 F	1.6 MM	868	870	931	975	1,087	D 10	Normal	426	428	458	480	535
DC 26 F AK	1.6 MM	868	870	931	975	1,087	D 10	1.6 MM	535	537	574	601	671
DC 26 F	2.0 MM	1,028	1,030	1,101	1,153	1,288	D 10	2.0 MM	659	662	708	741	827
DC 26 H	Normal	727	729	779	816	911	D 10 A	1.6 MM	601	603	645	676	754
DC 26 H	1.6 MM	868	870	931	975	1,087	D 10 A	2.0 MM	741	743	795	832	929
DC 26 H	2.0 MM	1,028	1,030	1,101	1,153	1,288	D 11	Normal	190	191	204	214	238
DC 26 J	Normal	720	722	773	809	903	D 14	Normal	291	293	314	329	367
DC 26 J	1.6 MM	901	903	966	1,011	1,129	D 15	Normal	185	187	201	209	235
DC 26 L	1.6 MM	829	843	902	945	1,050	D 15 A	Normal	126	128	138	146	160
DC 26 L	2.0 MM	1,030	1,048	1,122	1,174	1,310	D 15 B	Normal	175	177	190	201	222
DC 30	Normal	564	567	606	635	709	D 16	Normal	490	492	526	551	615
DC 30 A	Normal	603	605	647	678	756	D 16	1.6 MM	564	567	606	635	709
DC 30 A	1.6 MM	744	746	798	836	933	D 16	2.0 MM	691	693	742	776	867
DC 30 A	2.0 MM	949	951	1,018	1,066	1,190	D 16 A	1.6 MM	514	520	559	588	654
DC 30 AK	Normal	603	605	647	678	756	D 18	Normal	519	521	558	584	652
DC 30 AK	1.6 MM	744	746	798	836	933	D 18	1.6 MM	675	677	724	759	847
DC 30 AK	2.0 MM	949	951	1,018	1,066	1,190	D 18	2.0 MM	842	845	904	946	1,056
DC 30 B	Normal	508	510	546	572	638	D 20	2.0 MM	546	548	587	614	685
DC 30 B	1.6 MM	627	630	674	706	787	D 20 L	2.0 MM	602	609	655	685	764
DC 30 B	2.0 MM	744	746	798	836	933	AL Series						
DC 30 BA	Normal	556	558	596	625	698	AL 32	Normal	83	85	90	95	106
DC 30 BA	1.6 MM	675	677	724	759	847	AL 33	1.6 MM	689	691	740	774	864
DC 30 BA	2.0 MM	797	799	856	895	999	AL 33	2.0 MM	861	863	924	967	1,079
DC 30 C	Normal	556	558	596	625	698	AL 35	1.6 MM	495	497	533	557	622
DC 30 C	1.6 MM	675	677	724	759	847	AL 35	2.0 MM	601	603	645	676	754
DC 30 C	2.0 MM	797	799	856	895	999	AL 35 A	1.6 MM	563	566	605	634	707
DC 30 E	Normal	564	567	606	635	709	AL 58	2.0 MM	507	509	545	570	637
DC 30 F	Normal	623	625	669	700	782	AL D 10	1.6 MM	601	603	645	676	754
DC 30 F	1.6 MM	752	754	807	845	943	AL D 10 A	1.6 MM	569	571	611	639	714
DC 30 F	2.0 MM	882	884	946	990	1,106	AL D 20	1.6 MM	440	442	473	495	552
DC 30 H	Normal	623	625	669	700	782	Deluxe Swing Doors Series						
DC 30 H	1.6 MM	752	754	807	845	943	D 32	Normal	87	88	95	99	110
DC 30 H	2.0 MM	882	884	946	990	1,106	D 32 A	Normal	154	155	166	174	194
DC 30 J	Normal	622	624	668	699	781	D 32 B	Normal	162	163	174	183	204
DC 30 J	1.6 MM	797	799	856	895	999	D 32 C	Normal	190	191	204	214	238
DC 30 L	1.6 MM	706	720	772	807	901	D 32 D	Normal	73	73	81	83	94
DC 30 L	2.0 MM	861	874	935	982	1,090	D 32 E	Normal	71	71	78	81	90
M 23	Normal	291	293	314	329	367	D 32 F	Normal	72	72	80	82	91
M 23	1.6 MM	366	368	394	412	461	D 32 G	Normal	73	73	81	83	94
M 23	2.0 MM	448	450	482	504	562	D 33	Normal	477	480	513	537	600
M 23 A	Normal	300	302	323	338	378	D 33	1.6 MM	635	637	681	713	797
M 23 A	1.6 MM	397	399	427	447	499	D 33	2.0 MM	775	777	831	871	971
M 23 A	2.0 MM	487	490	524	548	612	D 34	Normal	169	178	190	201	226
M 23 B	2.0 MM	423	426	455	476	533	D 34 A	Normal	100	101	113	117	128
M 23 F	1.6 MM	451	460	491	514	573	D 35	Normal	407	409	438	459	512
M 24	Normal	345	347	372	389	434	D 35	1.6 MM	521	524	560	587	655
M 24	1.4 MM	366	373	399	418	464	D 35	2.0 MM	631	633	677	709	792
M 24	1.6 MM	408	410	439	460	513	D 37	Normal	368	377	402	420	471

Effected From 01st January 2026

Thickness Tolerance $\pm 5\%$

Subject ive To Change Without Any Prior Notice

PAI/PL/2601001R-0

Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood	Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood
Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +	Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +
Deluxe Sliding Window Series							Box & Openable Door Window Series						
D 22	Normal	244	246	263	276	308	D 42	Normal	262	265	283	297	331
D 23	Normal	368	370	397	415	463	D 42 F	Normal	335	337	361	378	422
D 24	Normal	366	368	394	412	461	D 42 H	Normal	335	337	361	378	422
D 25	Normal	287	289	309	323	362	D 45	Normal	401	404	432	452	505
D 26	Normal	385	387	415	433	484	D 45	2.0 MM	655	657	703	736	821
D 26 A	Normal	419	421	451	472	527	D 45 A	Normal	354	356	381	399	445
D 27	Normal	432	434	465	486	544	D 45 A	1.6 MM	448	450	482	504	562
D 28	Normal	300	302	323	338	378	D 45 A	2.0 MM	538	540	578	605	676
D 28 A	Normal	397	399	427	447	499	D 45 B	1.6 MM	490	492	526	551	615
D 30	Normal	361	363	388	406	453	D 45 D	Normal	299	306	322	339	377
Strips, Kick Plates & Scarting Panel Series							D 45 F	Normal	442	444	475	497	556
D 61	Normal	423	426	455	476	533	D 51	Normal	439	448	469	476	552
Strip-1 4.5"	Normal	270	272	291	305	341	D 51	1.6 MM	572	582	624	651	727
Strip 2"	2.0 MM	144	147	156	163	183	D 51	2.0 MM	678	689	739	772	861
Strip-3 6.0"	Normal	357	359	385	402	450	D 51 A	Normal	373	375	401	420	469
Strip-3 3 X 3/4	3.5 MM	545	553	593	620	691	D 51 A	1.6 MM	461	463	495	518	579
Strip FS-160 - ST	Normal	244	247	265	277	309	D 51 A	2.0 MM	556	558	596	625	698
Strip-150 6.0"	2.0 MM	442	451	483	507	564	D 51 B	1.6 MM	516	524	563	589	655
Economy Fixed Glazing Series							D 51 F	Normal	437	439	470	492	549
E 10	Normal	335	337	361	378	422	D 51 F	1.6 MM	548	550	589	616	688
E 11	Normal	135	136	146	152	170	D 51 F	2.0 MM	663	665	711	744	831
E 14	Normal	241	244	260	273	304	D 51 H	1.6 MM	548	550	589	616	688
E 15	Normal	150	151	162	169	189	D 52	Normal	357	359	385	402	450
E 16	Normal	362	364	389	408	455	Double Glaze Series						
E 18	Normal	458	460	492	515	574	DG 23 / GSL-03	Normal	423	426	455	476	533
Economy Sliding Window Series							DG 23 / GSL-03	1.6 MM	527	529	567	593	662
EF 22	Normal	186	189	202	212	236	DG 23 / GSL-03	2.0 MM	627	630	674	706	787
EF 24	Normal	319	321	343	359	401	DG 23 A / GSL-02	1.6 MM	570	572	612	641	716
EF 25	Normal	245	247	265	277	309	DG 23 A / GSL-02	2.0 MM	678	680	728	762	850
EF 26	Normal	319	321	343	359	401	DG 23 B	2.0 MM	851	864	925	969	1,080
EF 27	Normal	319	321	343	359	401	DG 23 D	1.6 MM	471	477	512	537	598
EF 28	Normal	209	212	226	237	265	DG 23 H	1.5 MM	475	483	516	539	603
EF 30	Normal	244	246	263	276	308	DG 23 P	1.5 MM	486	494	530	555	620
Kitchen Series							DG 23 L	2.0 MM	675	683	730	762	849
K.T.1	Normal	229	232	248	259	290	DG 23 P	2.0 MM	624	626	666	699	784
K.T.2	Normal	255	257	275	288	321	DG 25	1.6 MM	141	156	169	188	213
K.T.3	Normal	283	286	305	320	357	DG 25 F	1.6 MM	184	186	201	210	232
K.T.4	Normal	260	262	281	294	329	DG 26 / GSL-01	Normal	716	718	768	804	897
K.T.5	Normal	279	281	301	315	352	DG 26 / GSL-01	1.6 MM	926	928	993	1,040	1,161
K.T.6	Normal	255	257	275	288	321	DG 26 / GSL-01	2.0 MM	1,117	1,119	1,197	1,254	1,399
K.T.7	Normal	345	354	379	395	439	DG 26 A	1.6 MM	1,067	1,070	1,145	1,198	1,337
K.T.8 B	Normal	298	300	321	336	375	DG 26 A	2.0 MM	1,294	1,297	1,388	1,453	1,622
K.T.8 BA	Normal	260	262	281	294	329	DG 26 F / GSL-01 F	1.6 MM	1,019	1,021	1,093	1,143	1,277
K.T.8 BC	Normal	300	302	323	338	378	DG 26 L	2.0 MM	1,183	1,198	1,279	1,336	1,486
Fix & Openable Door Frame Series							DG 26 P	1.5 MM	861	874	937	982	1,092
D 45 C	Normal	599	601	643	673	751	DG 26 P	2.0 MM	1,249	1,269	1,358	1,423	1,588
D 51 C	Normal	678	680	728	762	850	DG 26 P 3-T	2.0 MM	1,417	1,440	1,540	1,613	1,801
D 51 C	1.6 MM	860	862	923	966	1,078	DG 28 / GSL-04	Normal	181	183	196	205	229
D 51 C	2.0 MM	1,051	1,053	1,127	1,180	1,316	DG 28 / GSL-04	1.6 MM	218	226	241	252	300
D 54 C	Normal	576	578	619	647	722	DG 28 L	1.5 MM	220	222	240	249	277
Netting Series							DG 30 A	Normal	183	186	201	208	232
D 29	Normal	226	227	243	255	284	DG 30 A	Normal	148	150	162	170	188
D 29 A	Normal	273	275	293	308	343	DG 31	1.5 MM	269	272	292	307	341
D 29 B	Normal	140	141	151	158	176	DG 32	1.6 MM	98	100	110	115	126
D 29 C	Normal	119	123	130	138	154	DG 33 / HD-06	1.5 MM	735	738	789	826	922
D 29 D	Normal	244	248	264	277	310	DG 41 / HD-08	Normal	150	151	162	169	189
D 29 E	2.0 MM	373	382	406	426	475	DG 41 A	Normal	146	147	160	166	184
D 29 H	Normal	163	167	176	186	210	DG 41 E / HD-07	Normal	207	208	223	234	260
DG 29 / GSL-05	Normal	290	291	311	326	364	DG 45	1.6 MM	624	633	678	711	792
DG 29 / GSL-05	1.6 MM	334	336	359	377	420	DG 50 / HD-02	1.6 MM	678	680	728	762	850
DG 29 / GSL-05	2.0 MM	398	402	432	453	506	DG 50 / HD-02	2.0 MM	821	824	881	923	1,030
DG 29 A	2.0 MM	463	468	504	523	585	DG 50 L	1.6 MM	794	805	860	897	999
DG 29 3-T	1.6 MM	486	494	530	555	620	DG 51 / HD-05	1.6 MM	603	605	647	678	756
Zig Zag 01	Normal	234	236	252	265	295	DG 51 A / HD-04	1.4 MM	606	609	652	681	761
Zig Zag 02	Normal	272	275	293	308	343	DG 51 A / HD-04	2.0 MM	731	733	785	821	916
Louvers Series							DG 51 D / HD-03	1.6 MM	1,053	1,055	1,129	1,182	1,319
Louver 39	Normal	183	184	197	206	230	DG 51 D / HD-03	2.0 MM	1,217	1,219	1,304	1,366	1,525
Louver 39	1.6 MM	225	227	243	255	284	DG 51 E	2.0 MM	814	820	876	920	1,031
Louver 39	2.0 MM	269	272	292	306	341	DG 59 / HD-01	1.5 MM	678	680	728	762	850
Louver 39 4"	2.0 MM	563	567	608	626	700	Door Handle Series						
Louver 39 4.5"	2.0 MM	648	656	700	726	809	H 7 / C-Handle	Normal	150	151	162	169	189
Louver - HT	1.6 MM	300	304	326	341	382	D 38	2.0 MM	660	663	709	742	828
P-14713	1.6 MM	544	552	592	618	690	D 38 B	2.0 MM	477	480	513	537	600
P-14713 A	Normal	308	313	338	354	392	D 38 E	2.0 MM	654	663	712	746	830
P-14713 C	Normal	730	744	798	835	931	D 38 F	Normal	545	553	593	620	691
G - 7	Normal	208	212	227	238	267							

Effected From 01st January 2026

Thickness Tolerance $\pm 5\%$

Subject ive To Change Without Any Prior Notice

PAI/PL/2601001R-0

Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood	Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood
Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +	Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +
Curtain Wall Series							Fix & Openable Door Window Series						
CW 001 A LN (50 X 89)	2.0 MM	924	939	1,000	1,046	1,162	D 40	Normal	395	397	424	444	496
CW 1 (64 X 94.5)	2.0 MM	1,080	1,083	1,159	1,213	1,354	D 40 A	Normal	373	382	406	426	475
CW 1 OL (64 X 128)	2.5 MM	1,819	1,867	1,986	2,085	2,334	D 40 A	2.0 MM	533	544	580	607	678
CW 1 001 LN	2.0 MM	836	851	909	952	1,063	D 41	Normal	150	151	162	169	189
CW 1 A (50 X 75)	2.0 MM	879	894	955	1,001	1,117	D 41 A	Normal	124	125	134	140	156
CW 1 A LN (50 X 80)	2.0 MM	897	912	974	1,020	1,136	D 41 B	Normal	121	122	131	137	153
CW 1 A S (30 X 94.5)	2.0 MM	768	776	809	851	902	D 43	Normal	252	258	276	288	322
CW 1 B (64 X 146)	2.5 MM	1,888	1,899	2,033	2,134	2,388	D 44	Normal	326	329	352	368	411
CW 1 B	6.0 MM	3,496	3,554	3,806	3,982	4,442	D 44 A	Normal	401	404	432	452	505
CW 1 B 70 M (70 X 146)	2.5 MM	1,918	1,929	2,065	2,167	2,426	D 46	Normal	711	713	763	799	892
CW 1 B C (64 X 140)	2.5 MM	1,848	1,858	1,989	2,087	2,337	D 46	2.0 MM	1,101	1,104	1,181	1,236	1,379
CW 1 B ND	2.5 MM	1,886	1,937	2,061	2,162	2,422	D 48	2.0 MM	1,160	1,167	1,248	1,287	1,441
CW 1 B S (37.7 X 146)	2.0 MM	1,341	1,344	1,431	1,503	1,682	D 48 HD	2.0 MM	1,363	1,365	1,461	1,529	1,707
CW 1 B SN (64 X 140)	2.5 MM	1,755	1,757	1,881	1,968	2,197	D 48 A	Normal	476	478	512	536	599
CW 1 C (50 X 73)	2.0 MM	813	827	883	928	1,041	D 48 A	1.4 MM	587	593	632	653	729
CW 1 D (64 X 90.5)	2.0 MM	1,131	1,133	1,213	1,269	1,417	D 48 A	1.6 MM	606	609	652	681	761
CW 1 LD ND (64 X 108.5)	2.0 MM	1,250	1,258	1,347	1,415	1,585	D 48 A	2.0 MM	762	764	818	856	955
CW 1 L N (64 X 108.5)	2.0 MM	1,257	1,264	1,354	1,420	1,591	D 48 B	1.6 MM	413	416	444	465	519
CW 1 S (37.7 X 94.5)	2.0 MM	918	932	1,000	1,046	1,166	D 48 D	STD	918	932	1,000	1,046	1,166
CW 1 S-CL (76 X 38)	3.0 MM	855	869	932	975	1,086	D 49	Normal	169	170	184	190	213
CW 10 (48.9 X 42.8)	1.6 MM	505	521	544	564	633	D 49 B	Normal	222	226	243	252	280
CW 2 (60 X 19.5)	2.0 MM	398	402	432	453	506	D 50	Normal	455	458	490	513	572
CW 2 70 M (67.2 X 18.5)	2.0 MM	399	402	431	451	506	D 50	1.6 MM	583	585	626	656	732
CW 2 A (47.4 X 20.9)	2.0 MM	338	341	365	381	426	D 50	2.0 MM	702	704	754	789	881
CW 2 E	2.0 MM	96	98	108	112	125	D 50 A	Normal	405	407	435	455	508
CW 2 F	2.0 MM	156	159	170	176	198	D 50 A	1.6 MM	482	484	518	542	605
CW 2 G (Cleat)	Normal	989	1,004	1,075	1,126	1,256	D 50 A	2.0 MM	585	588	628	658	734
CW 2 G ND (Cleat)	Normal	1,000	1,016	1,087	1,140	1,269	D 50 B	Normal	569	571	611	639	714
CW 2 H (Cleat)	Normal	855	869	932	975	1,086	D 50 B	1.6 MM	733	735	787	824	919
CW 3 (63 X 25.4)	Normal	241	244	260	273	304	D 50 B	2.0 MM	903	905	968	1,014	1,131
CW 3 70 M (70 X 25.4)	Normal	274	277	300	321	355	D 54	Normal	403	416	441	463	519
CW 3 30 x 70 M	Normal	299	300	320	341	379	D 54	2.0 MM	537	546	585	610	683
CW 3 A (50.3 X 19.5)	Normal	191	193	206	216	241	D 54 A	Normal	326	329	352	368	411
CW 3 A LN (50 X 60)	Normal	357	360	384	410	453	D 54 A	1.6 MM	398	400	428	449	501
CW 3 A B (61 X 50)	Normal	331	335	358	381	420	D 54 A	2.0 MM	477	480	513	537	600
CW 3 H (64 X 80)	1.6 MM	805	814	872	911	1,016	D 54 F	Normal	401	404	432	452	505
CW 9 (41.4 X 24.7)	1.6 MM	240	244	260	273	311	D 54 F	1.6 MM	480	482	516	539	602
CW RN 1 (60 X 163)	3.0 MM	2,348	2,387	2,555	2,676	2,983	D 54 F	2.0 MM	578	580	621	649	725
CW RN 3 (60 X 99.4)	3.0 MM	1,485	1,508	1,616	1,692	1,888	D 54 H	Normal	401	404	432	452	505
CW OP 10744 (67 X 45)	2.0 MM	438	442	475	497	553	D 54 H	1.6 MM	480	482	516	539	602
CW OP 10744 L (94.5 X 30.4)	2.0 MM	454	463	497	519	578	D 59	Normal	442	444	475	497	556
CW OP 13212	2.0 MM	772	784	839	876	978	D 59	1.6 MM	517	519	556	582	649
CW OP 13212 L (109.1 X 45)	2.0 MM	1,085	1,102	1,180	1,235	1,379	D 59	2.0 MM	616	619	662	692	773
CW P-13510 (70 X 90)	2.0 MM	1,357	1,380	1,476	1,547	1,721	D 59 A	Normal	452	454	486	508	568
CW P-11049 (13.3 X 14.7)	2.0 MM	171	172	188	197	218	D 59 A	1.6 MM	557	559	598	626	699
CW P-13511 (63 X 39.7)	2.0 MM	851	864	923	968	1,078	D 59 A	2.0 MM	678	680	728	762	850
CW P-11050 (65 X 41.5)	2.0 MM	1,004	1,021	1,093	1,144	1,273	D 59 B	Normal	440	448	477	500	558
Prime Curtain Wall Series							D 59 B	1.6 MM	587	605	636	662	737
ZG-CW 2 F (11.5 X 17.3)	STD	171	172	186	194	216	Tilt & Turn Windows Series						
ZG-CW H (44.5 X 40)	4.0 MM	873	884	949	993	1,108	TT 41 A	1.6 MM	167	169	182	188	211
ZG-CW 1 (50 X 118)	2.5 MM	1,379	1,402	1,500	1,569	1,749	TT 42 A	Normal	138	139	148	156	174
ZG-CW 1 LN (50 X 122.7)	2.0 MM	1,187	1,205	1,284	1,346	1,501	TT 45 A	2.0 MM	810	821	879	924	1,028
ZG-CW 2 (31 X 118)	2.5 MM	1,235	1,256	1,345	1,407	1,569	Loom Series						
ZG-CW 3 (50 X 80)	2.5 MM	1,132	1,150	1,232	1,291	1,440	Loom A	Normal	316	320	343	359	399
ZG-CW 92	2.5 MM	1,103	1,125	1,204	1,259	1,404	Loom B	Normal	204	207	220	230	258
ZG-OP 1 (67 X 30.4)	2.5 MM	475	483	517	544	603	Loom C	Normal	420	426	457	480	533
ZG-OP 2 (74 X 45)	2.5 MM	875	889	954	999	1,112	Loom D	Normal	462	471	506	529	589
P.N. Curtain Wall Series							Loom E	Normal	494	504	538	564	627
PN-CW 1 (50 X 183.4)	2.5 MM	2,083	2,117	2,265	2,374	2,647	Loom G	Normal	714	726	777	815	908
PN-CW 2 (50 X 76)	2.0 MM	921	937	1,003	1,050	1,173	Loom T-2	Normal	482	491	528	550	612
PN-CW 2 F (9.9 X 19.8)	2.0 MM	160	161	174	181	201	Hinges Series						
PN-CW 3 (44.7 X 11.3)	2.5 MM	265	270	289	302	338	D 57	STD	627	630	674	706	787
PN-CW 4 (50 X 12.8)	1.6 MM	175	176	190	200	220	D 58	STD	419	421	451	472	527
PN-CW 5 (42.8 X 147.6)	2.0 MM	1,291	1,314	1,404	1,471	1,643	DG 57 / HD-11	STD	750	752	805	842	940
PN-Z AK Normal	Normal	273	277	299	310	347	DG 58 / HD-10	STD	642	654	699	729	815
EC Series							VIP Series						
EC 23	Normal	235	237	254	266	297	W 24	1.6 MM	486	494	530	553	620
EC 24	Normal	283	286	305	320	357	W 26	1.6 MM	603	612	658	688	765
EC 28	Normal	300	302	323	338	378	W 28	1.6 MM	438	442	475	497	555
EC 26 B	Normal	529	531	569	595	665	Heat Sink Series						
EC 30 B	Normal	455	458	490	513	572	Heat Sink 125.3 x 49.7	Normal	3,957	4,025	4,306	4,510	5,026
EC 26 F	Normal	601	603	645	675	754	Heat Sink 61.8 x 32	Normal	1,576	1,602	1,716	1,794	2,003
EC 30 F	Normal	525	527	564	590	659							

Effected From 01st January 2026

Thickness Tolerance $\pm 5\%$

Subjective To Change Without Any Prior Notice PAI/PL/2601001R-0

Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood	Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood
Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +	Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +
Pipes Series							Prime Series						
D 60	Normal	260	262	281	294	329	P-00029	1.6 MM	470	476	509	531	592
D 60 A	Normal	331	338	359	379	420	P-031	1.6 MM	397	404	429	449	499
Rect. Pipe 2" X 1"	Normal	289	291	311	326	364	P-08009	1.6 MM	690	700	749	785	875
Rect. Pipe 2" X 1"	1.6 MM	374	376	402	421	470	P-08104	Normal	372	379	404	425	472
Rect. Pipe 2" X 1" W-S	1.6 MM	416	425	441	469	519	P-08104	1.6 MM	448	454	485	511	567
Rect. Pipe 2" X 1"	3.0 MM	658	668	717	748	835	P-08105	Normal	431	438	469	489	546
Rect. Pipe 2" X 5"	2.5 MM	1,442	1,467	1,571	1,645	1,831	P-08105	1.6 MM	505	512	549	574	641
Rect. Pipe 3" X 1"	Normal	373	375	401	420	469	P-08221	1.6 MM	781	792	850	889	991
Rect. Pipe 3" X 1"	3.0 MM	934	949	1,015	1,062	1,184	P-09718	2.5 MM	379	384	411	431	482
Rect. Pipe 3" X 1½"	Normal	430	432	462	484	540	P-10015	1.6 MM	501	507	544	568	633
Rect. Pipe 3" X 2"	3.0 MM	1,206	1,225	1,314	1,374	1,533	P-10023	STD	126	128	139	146	161
Rect. Pipe 4 X 1 x ¾"	Normal	575	589	624	656	689	P-10178	1.6 MM	242	244	262	273	304
Rect. Pipe 4 X 1 x ¾"	1.6 MM	718	720	771	806	900	P-10371	Normal	162	163	176	186	207
Rect. Pipe 4 X 1 x ¾"	2.0 MM	897	900	962	1,008	1,125	P-10377	Normal	150	153	163	174	191
Rect. Pipe 6" X 2½" 65 X 150	1.6 MM	1,166	1,185	1,270	1,330	1,483	P-10485	1.6 MM	448	454	485	511	567
Rect. Pipe 20 X 50 MM	3.0 MM	669	682	728	762	851	P-10486	Normal	137	139	147	153	172
Rect. Pipe 100 X 20 MM	1.6 MM	654	663	712	744	830	P-10486 A	Normal	127	130	140	147	162
Rect. Pipe 100 X 25 MM	2.0 MM	779	792	849	888	989	P-10492	Normal	269	272	291	304	339
Rect. Pipe 100 X 44 MM	1.6 MM	791	805	861	901	1,003	P-10692	1.6 MM	352	355	381	399	445
Rect. Pipe 100 X 50 MM	2.0 MM	1,019	1,015	1,090	1,140	1,273	P-10765	Normal	193	198	212	220	245
Rect. Pipe 110 X 50 MM	2.0 MM	1,028	1,045	1,117	1,172	1,305	P-11218	2.0 MM	574	582	626	626	729
M- Pipe-1 100 X 150 MM	2.5 MM	2,171	2,206	2,363	2,474	2,759	P-11219	1.6 MM	181	184	197	207	229
M- Pipe-2 100 X 150 MM	2.5 MM	2,136	2,174	2,328	2,436	2,718	P-11321	Normal	126	128	139	146	161
M- Pipe 6" X 4"	2.5 MM	2,209	2,246	2,404	2,517	2,806	P-12745	Normal	234	241	254	265	298
Sq. Pipe 1" X 1"	Normal	185	187	201	209	235	P-12983	1.6 MM	497	505	538	564	631
Sq. Pipe 1" X 1"	3.0 MM	432	440	471	492	549	P-12983 A	1.6 MM	375	381	406	424	471
Sq. Pipe 1½" X 1½" 38 MM	Normal	289	291	311	326	364	P-12983 B	1.6 MM	203	205	219	228	254
Sq. Pipe 2" X 2"	Normal	387	389	417	435	486	P-12983 C	1.8 MM	265	270	287	300	333
Sq. Pipe 2" X 2"	2.5 MM	791	805	861	901	1,003	P-12986	1.6 MM	633	645	690	725	807
Sq. Pipe 2" X 2"	3.0 MM	931	946	1,013	1,059	1,180	P-12986 A	1.6 MM	722	730	785	821	918
Sq. Pipe 1¼" X 1¼" 32 MM	Normal	249	251	269	281	314	P-12986 A	2.0 MM	896	910	972	1,018	1,137
Sq. Pipe ¾" X ¾" 19 MM	Normal	167	169	182	188	210	P-12986 B	1.8 MM	727	737	783	820	910
Round Pipe 8/8 D-1"	STD	132	133	139	146	163	P-13011	1.6 MM	555	564	603	632	704
Round Pipe D-1 "	1.0 MM	128	133	141	148	167	P-13012	1.6 MM	574	582	626	656	729
Round Pipe D-3 "	3.8 MM	1,365	1,388	1,486	1,557	1,736	P-13013	1.6 MM	758	773	828	867	967
Round Pipe D-16 MM	1.5 MM	127	128	138	142	161	P-13142	1.6 MM	416	420	451	471	528
Round Pipe D-18.8 MM	1.4 MM	142	144	154	161	179	P-13142	2.0 MM	497	505	538	564	631
Round Pipe D-22 MM	2.0 MM	201	206	219	230	257	P-13237	1.6 MM	645	658	703	739	820
Round Pipe D-30 MM	2.0 MM	301	306	306	343	383	P-13406	1.6 MM	1,073	1,092	1,168	1,222	1,361
Round Pipe D-36 MM	2.0 MM	357	360	388	406	453	P-13640	2.0 MM	748	761	817	853	953
Round Pipe D-40 MM	2.0 MM	417	424	453	475	530	P-13661	2.5 MM	1,661	1,690	1,808	1,893	2,110
Round Pipe D-41 MM	1.5 MM	303	310	332	346	388	P-13906	1.6 MM	507	516	552	576	644
Round Pipe D-50 MM	1.8 MM	438	442	475	497	555	P-13906	2.0 MM	614	625	668	699	781
Round Pipe D-75 MM	8.0 MM	2,592	2,624	2,812	2,938	3,281	P-13906 A	2.0 MM	795	810	867	906	1,013
ND-Rod D-28 MM	STD	1,013	1,028	1,077	1,124	1,251	P-13906 A F	2.0 MM	1,065	1,081	1,146	1,200	1,334
L 26	Normal	310	312	334	349	390	P-13906 F	1.6 MM	761	773	821	858	954
L 30	Normal	272	275	293	308	343	P-13906 F	2.0 MM	982	997	1,057	1,108	1,228
Angles Series							P-13906 D	2.0 MM	1,346	1,372	1,467	1,534	1,709
Angle 1 X 1	3.0 MM	219	222	237	248	277	P-14275	Normal	534	545	580	609	682
Angle 16 X 16	1.5 MM	73	73	81	83	94	P-14508	1.6 MM	1,158	1,176	1,259	1,317	1,469
Angle 1½" X 1½" 38 MM	3.0 MM	335	337	361	378	422	P-14509	1.6 MM	921	938	1,003	1,050	1,173
Angle 3/4 X 3/4	3.0 MM	167	170	182	191	211	P-14689	1.6 MM	658	668	714	749	835
Angle 1½" X 3	5.0 MM	888	902	964	1,012	1,126	P-14689	2.0 MM	807	820	876	919	1,022
Angle 1¼" X 1¼" 32 MM	3.0 MM	281	284	302	317	354	P-14689 A	1.6 MM	678	689	739	772	861
Angle 1¼" X 1¼" 32 MM	5.0 MM	491	495	531	556	619	P-14691	1.6 MM	1,096	1,116	1,195	1,249	1,391
Angle 40 X 40	5.0 MM	619	627	671	703	785	P-14691 A	2.0 MM	1,523	1,550	1,660	1,739	1,937
Angle 76 X 56	STD	1,121	1,140	1,220	1,276	1,423	P-14713	1.6 MM	544	552	592	618	690
Angle 3" X 4"	8.0 MM	2,140	2,176	2,327	2,438	2,719	P-14713 A	Normal	309	313	338	354	392
Textile Series							P-14713 B	1.5 MM	509	517	556	580	648
D 29 G	Normal	272	276	299	310	346	P-14713 C	Normal	730	746	798	835	931
D PIPE	3.5 MM	1,461	1,483	1,588	1,661	1,853	P-64 X 60	2.0 MM	785	798	854	893	996
Scrapper / Wiper 01	Normal	1,529	1,557	1,666	1,745	1,946	P-7004 S	2.0 MM	201	207	219	230	257
							P-9051	1.6 MM	108	110	117	124	137
							P-9888	2.0 MM	108	110	117	124	137

Effected From 01st January 2026

Thickness Tolerance $\pm 5\%$

Subject ive To Change Without Any Prior Notice

PAI/PL/2601001R-0

Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood	Section	Thickness	Dull	Chm/Ral	Brown	Multi /BLK	Wood
Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +	Name	(MM)	Silver	Gold	Sahara	Ral +	Sahara +
Miscellaneous Sections							Miscellaneous Sections						
SASA 001	Normal	339	344	368	385	429	AE - 01	2.0 MM	1,204	1,225	1,310	1,373	1,529
SASA 002	Normal	429	438	469	489	546	AE - 02	Normal	142	146	156	162	181
SASA 003	Normal	399	406	438	454	507	AM 01	2.6 MM	1,192	1,211	1,297	1,357	1,512
SASA 004	Normal	322	326	348	367	406	AM 02	1.8 MM	204	206	222	233	260
SASA 005	Normal	28	30	31	31	34	HR-Base	STD	1,488	1,508	1,580	1,650	1,836
SASA 006	Normal	31	32	34	37	42	HR-Cap	STD	508	514	538	563	626
SASA 007	1.6 MM	568	578	619	648	726	BAAR 01	6.0 MM	7,277	7,397	7,919	8,293	9,244
SASA 007	Normal	420	426	457	480	533	BAAR 02	3.5 MM	2,010	2,046	2,189	2,292	2,555
SASA 008	Normal	480	485	520	546	609	BAAR 03	6.0 MM	2,276	2,314	2,476	2,595	2,892
SASA 009	Normal	399	406	438	454	507	BAAR 04	STD	1,600	1,628	1,742	1,823	2,033
SASA 010	2.0 MM	910	925	991	1,040	1,156	BAAR E-2 151 X 15	STD	4,158	4,228	4,523	4,739	5,282
SASA 011	1.6 MM	600	609	649	683	758	BAAR Zig	6.0 MM	2,232	2,271	2,432	2,547	2,836
SASA 012	Normal	182	186	198	208	230	BAAR-B 200 X 22	STD	7,103	7,221	7,733	8,093	9,025
SASA 013	1.4 MM	308	313	338	354	392	BAAR-C 150 X 15	STD	3,709	3,770	4,038	4,229	4,714
SASA 014	1.6 MM	1,012	1,028	1,099	1,150	1,283	BAAR-E 151 X 15	STD	3,709	3,770	4,038	4,229	4,714
SASA 015	1.6 MM	808	821	877	920	1,028	BAAR-E 151 X 20 25	STD	4,298	4,370	4,680	4,899	5,461
U 1.5 MM	2.0 MM	300	304	326	343	382	BAAR-J 50 X 50	STD	4,158	4,228	4,523	4,739	5,282
U 13 MM	Normal	66	68	72	78	83	CG-AG 01 24.5 x 25.5	Normal	82	83	90	94	101
U BE 01	1.6 MM	910	925	991	1,040	1,158	CG-U 01	1.6 MM	198	201	215	226	252
U BE 02	1.6 MM	1,286	1,305	1,394	1,464	1,631	CG-U 02	1.6 MM	91	94	98	102	116
U Per	Normal	139	140	150	157	175	CG-U 03	Normal	58	59	64	67	74
U 28.5 X 12.5 MM	1.6 MM	133	134	144	149	167	U 16 X 19	1.6 MM	134	135	144	150	169
							U 25 X 12	Normal	94	95	100	108	118